

参考文献



I. 应用	2
1 心血管健康	2
2 认知功能	6
3 糖尿病及代谢综合征	9
4 眼部健康	11
5 健康老龄化	12
6 免疫	13
7 关节健康	16
8 男性健康	17
9 口腔健康	18
10 疼痛管理	19
11 呼吸系统健康	20
12 皮肤护理（口服和外用）	22
13 运动	25
14 旅行健康	25
15 静脉健康	26
16 女性健康	29
II. 作用机制	31
17 抗炎作用	31
18 抗氧化活性	33
19 内皮功能	38
20 血小板功能	40
21 增强细胞外基质	42
III. 分析、生物可用性和代谢	43
IV. 评论文献	45

I. 应用

1 心血管健康

- Ref. 580** 综述：碧容健®对收缩压和舒张压有明显的有益作用。
Pourmasoumi M, Hadi A, Mohammadi H, Rouhani MH
Effect of Pycnogenol® supplementation on blood pressure: A systematic review and meta-analysis of clinical trials.
Phytotherapy Research. 2019;1- 10, 2019
- Ref. 577** 临床研究：碧容健®对代谢综合征参数有显著的保护作用，可以通过使肥胖受试者降低体重来改善身体成分。
Sedighyan M, Abdolahi M, Taheri E, Qorbani M, Omidian P, Hosseini S.
The French Maritime Pine Bark Extract Reduce Metabolic Syndrome Risk and Improve Body Composition in Obesity: A New Clinical Approach.
Acta Medica Iranica. 2018;56(3), 2018
- Ref. 570** 临床研究：碧容健®配合维生素C和E改善了肾移植后患者的肾功能以及心血管风险指标。
Szentesiova Z, Trebaticky B, Zlinska Z, Breza J, Oravec S, Orszaghova Z, Muchova, J.
Improvement in cardiovascular risk markers by the combined effect of natural polyphenols and vitamins in patients after kidney transplantation.
Bratislava Medical Journal. 2022;123(04):254-61, 2022
- Ref. 553** 临床研究：碧容健®能显著改善与新冠疫情后有关的一些迹象和症状，改善心血管风险因素。
Belcaro G, Comelli U, Cesarone MR, Scipione C, Scipione V, Hu S, Feragalli B, Corsi M, Cox D, Cotellese R, Hosoi M, Burki C
Preventive effects of Pycnogenol® on cardiovascular risk factors (including 内皮功能) and microcirculation in subjects recovering from coronavirus disease 2019 (COVID- 19).
Minerva Med. 113(2):300-8, 2022
- Ref. 532** 临床研究：碧容健®和Centellicum®可降低支架术后新内膜的进展速度。
Belcaro G, Cesarone MR, Scipione C, et al
Pycnogenol®+Centellicum®, post-stent evaluation: prevention of neointima and plaque re-growth.
Minerva Cardioangiol. 2019;67(6):450-455. doi:10.23736/S0026-4725. 19.05048-5, 2019
- Ref. 531** 临床研究：碧容健®和Centellicum®联合有利于减缓中央/冠状动脉-心血管钙化的扩散。
Hu S, Belcaro G, Cesarone MR, Feragalli B, Cotellese R, Dugall M, Scipione C, Scipione V, Maione C.
Central cardiovascular calcifications: supplementation with Pycnogenol® and Centellicum®: variations over 12 months.
Minerva Cardioangiol. 2020 Feb;68(1):22-26. doi: 10.23736/S0026-4725. 19.05052-7. Epub 2019 Oct 15. PMID: 31633315, 2020
- Ref. 530** 临床研究：这项为期3年的研究显示，同时补充碧容健®和Centellicum®能改善动脉粥样硬化的进展和心血管事件的发生。
Belcaro G, Cesarone MR, Scipione C, Scipione V, Dugall M, Shu H, Peterzan P, Corsi M, Luzzi R, Hosoi M, Feragalli B, Cotellese R.
Delayed progression of atherosclerosis and cardiovascular events in asymptomatic patients with atherosclerotic plaques: 3-year prevention with the supplementation with Pycnogenol®+Centellicum®.
Minerva Cardioangiol. 2020 Feb;68(1):15-21. doi: 10.23736/S0026-4725. 19.05051-5. Epub 2019 Oct 11. PMID: 31625707, 2020
- Ref. 508** 临床研究：碧容健®能改善健康人的勃起功能，对糖尿病患者效果更好。同时，碧容健®可降低总胆固醇和低密度脂蛋白胆固醇，以及糖尿病患者的血糖。
Trebaticky, B., Muchova J, Ziaran S, Bujdak P, Breza J, Durackova Z
Natural polyphenols improve erectile function and lipid profile in patients suffering from erectile dysfunction.
Bratisl Lek Listy, 120(12): p. 941-944, 2019
- Ref. 506** 临床研究：碧容健®可改善微循环，减轻雷诺综合征患者的主要症状。
Hu, S., M. Hosoi, G. Belcaro, M. Dugall, B. Feragalli, R. Cotellese and R. Luzzi (2019)
Management of mild, primary Raynaud Syndrome: supplementation with Pycnogenol®.
Minerva Cardioangiol 67(5): 392-398, 2019
- Ref. 453** 临床研究：碧容健®能进一步缓解更年期症状，明显改善血糖和血脂，并能维持健康的血压、C反应蛋白和同型半胱氨酸值。
Luzzi R, Belcaro G, Hosoi M, Feragalli B, Cornelli U, Dugall M, Ledda A
Normalization of cardiovascular risk factors in peri-menopausal women with Pycnogenol®.
Minerva Ginecol 69: 29-34, 2017

- Ref. 445** 临床研究：碧容健®可以增加患有肌肉无力的老年人的肌肉力量和心脏射血分数
Belcaro G, Dugall M
Preservation of muscular mass and strength in aged subjects with Pycnogenol® supplementation.
Minerva Ortopedica Traumatologica 67(3): 124- 130, 2016
- Ref. 442** 描述与动脉粥样硬化改善有关的碧容健®机制的临床前研究。
Liu R, Fan B, Cong H, Ikuyama S, Guan H, Gu J
Pycnogenol® reduces toll-like receptor 4 signaling pathway-mediated atherosclerosis formation in apolipoprotein E-deficient mice.
J Cardiovasc Pharmacol 68: 292-303, 2016
- Ref. 438** 临床研究：碧容健®与Centellicum®联合可以稳定颈动脉斑块。
Luzzi R, Belcaro G, Ippolito E
Carotid plaque stabilization induced by the supplement association Pycnogenol® and centella asiatica (Centellicum®).
Minerva Cardioangiol 64: 603-609, 2016
- Ref. 434** 综述：与碧容健®生物活性和碧容健®用于治疗浮肿、溃疡、血栓形成、CVI和痔疮的临床作用有关的研究总结。
Rohdewald P
Gerbstoffhaltiger Extrakt zur oralen und topischen Behandlung bei CVI und Hämorrhoidalleiden.
Phlebologie 44: 334-338, 2015
- Ref. 426** 临床前研究表明，碧容健®可以减少动脉粥样硬化斑块和脂质沉积，以剂量依赖的方式降低脂肪分化相关蛋白和脂肪细胞脂质结合蛋白的脂质相关蛋白表达。
Luo H, Wang J, Qiao C, Ma N, Liu D, Zhang W
Pycnogenol® attenuates atherosclerosis by regulating lipid metabolism through the TLR4-NF-kappaB pathway.
Experimental & Molecular Medicine 47, e191; doi:10. 1038/emm.2015.74, 2015
- Ref. 415** 综述论文包含目前关于碧容健®用于改善代谢综合征患者和糖尿病患者健康方面的知识。
Gulati O
Pycnogenol® in Metabolic Syndrome and Related Disorders.
Phytother Res 29: 949-968, 2015
- Ref. 408** 临床研究：碧容健®可改善内皮功能。开放性注册研究的结果显示出对临界高血压、高血糖和高血脂受试者的重要预防作用。
Hu S, Belcaro G, Cornelli U, Luzzi R, Cesarone MR, Dugall M, Feragalli B, Errichi B, Ippolito E, Grossi MG, Hosoi M, Gizzi G, Trignani M
Effects of Pycnogenol® on endothelial dysfunction in borderline hypertensive, hyperlipidemic, and hyperglycemic individuals: the borderline study.
Int Angiol 34(1): 43-52, 2015
- Ref. 393** 临床研究：碧容健®补充有益于美尼尔病及耳鸣患者。
Luzzi R, Belcaro G, Hu S, Dugall M, Hosoi M, Cacchio M, Ippolito E, Corsi M
Improvement in symptoms and cochlear flow with Pycnogenol® in patients with Meniere's disease and tinnitus.
Minerva Med 105: 245-254, 2014
- Ref. 385** 碧容健®有益于新陈代谢及心血管健康。
Aribal-Ayral P, Özelci-Kavas G, Elhan AH
Pycnogenol® supplementation and its beneficial effects in healthy rats.
Saudi Med J 35(2): 195- 197, 2014
- Ref. 382** 临床研究：项初步亚组研究中可观测补充碧容健®和积雪草后的亚临床动脉病变进展，以及抑制斑块进展情况。
Belcaro G, Dugall M, Hosoi M, Ippolito E, Cesarone MR, Luzzi R, Cornelli U, Ledda A
Pycnogenol® and Centella Asiatica for asymptomatic atherosclerosis progression.
Int Angiol 1(33): 20-26, 2014
- Ref. 360** 临床研究：碧容健®可在三个月内将代谢综合征的所有体征和症状恢复至健康水平值。
Belcaro G, Cornelli U, Luzzi R, Cesarone MR, Dugall M, Feragalli B, Errichi S, Ippolito E, Grossi MG, Hosoi M, Cornelli M, Gizzi G
Pycnogenol® supplementation improves health risk factors in subjects with metabolic syndrome.
Phytother Res 27: 1572- 1578, 2013

- Ref. 349** 临床研究：心脏药物之外再服用碧容健®能显著增强心脏病患者的血管内皮功能。
Enseleit F, Sudano I, Périat D, Winnik S, Wolfrum M, Flammer AJ, Fröhlich GM, Kaiser P, Hirt A, Haile SR, Krasniqi N, Matter CM, Uhlenhuth K, Högger P, Neidhart M, Lüscher TF, Ruschitzka F, Noll G
Effects of Pycnogenol® on endothelial function in patients with stable coronary artery disease: a double-blind, randomized, placebo-controlled, cross-over study.
Eur Heart J 33(13): 1589-97, 2012
- Ref. 295** 临床研究：碧容健®可减少耳鸣患者因耳蜗血流量增加而引起的“响铃”或“嘶嘶”噪音感觉。
Grossi MG, Belcaro G, Cesarone MR, Duggall M, Hosoi M, Cacchio M, Ippolito E, Bavera P
Improvement in cochlear flow with Pycnogenol® in patients with tinnitus: a pilot evaluation.
Panminerva Med 52 (suppl. 1 to No. 2): 63-67, 2010
- Ref. 294** 临床研究：碧容健®协同辅酶Q10可增强心脏功能：射血分数增加、心率降低及体力显著增强。
Belcaro G, Cesarone MR, Duggall M, Hosoi M, Ippolito E, Bavera P, Grossi MG
Investigation of Pycnogenol® in combination with coenzyme Q10 in heart failure patients (NYHA II/III).
Panminerva Med 52 (suppl. 1 to No. 2): 21-25, 2010
- Ref. 293** 临床研究：根据尿蛋白减少和肾脏血流量增加判断，碧容健®可恢复代谢综合征患者受损害的肾功能。
Stuard S, Belcaro G, Cesarone MR, Ricci A, Cornelli U, Gizzi G
Kidney function in metabolic syndrome may be improved with Pycnogenol®.
Panminerva Med 52 (suppl. 1 to No. 2): 27-32, 2010
- Ref. 291** 碧容健®可保护动物模型的心肌免受糖尿病损害。
Klimas J, Kmecova J, Jankyova S, Yaghi D, Priesolova E, Kyselova Z, Musil P, Ochodnický P, Krenek P, Kyselovic J, Matyas S
Pycnogenol® improves left ventricular function in streptozotocin-induced diabetic cardiomyopathy in rats.
Phytother Res 24: 969-974, 2010
- Ref. 283** 临床研究：作为高血压药物的辅助药物，碧容健®可改善肾脏的血流量和功能，并进一步改善血压状况。
Cesarone MR, Belcaro G, Stuard S, Schönlauf F, Di Renzo A, Grossi MG, Duggall M, Cornelli U, Cacchio M, Gizzi G, Pellegrini L
Kidney Flow and Function in Hypertension: Protective Effects of Pycnogenol® in Hypertensive Participants – A Controlled Study.
J Cardiovasc Pharmacol Ther 15: 41-46, 2010
- Ref. 281** 碧容健®可保护动物模型的肾脏免受氧化应激和局部缺血损害。
Ozer Sehirli A, Sener G, Ercan F
Protective effects of Pycnogenol® against ischemia reperfusion-induced oxidative renal injury in rats.
Ren Fail 31: 690-697, 2009
- Ref. 257** 关于碧容健®多方面有益于心血管健康的评论。
Watson RR, Argüelles MC
Pycnogenol® and 心血管健康.
Botanical medicine in clinical practice. (ed.) Watson, R.R., Preedy, V.R.; Wallingford, England, CABI Publishing, Ch. 56: 538-544, 2008
- Ref. 237** 临床研究：糖尿病和高血压药物之外再服用碧容健®可进一步显著改善患者的血糖和心血管风险因子，允许大多数患者减少抗高血压药物的服用。
Zibadi S, Rohdewald P, Park D, Watson RR
Reduction of cardiovascular risk factors in subjects with Type 2 Diabetes by Pycnogenol® supplementation.
Nutr Res 28: 315-320, 2008
- Ref. 233** 与阿司匹林相比，碧容健®可更有效地降低I型糖尿病药理学模型的血小板机能亢进，对糖尿病血栓的形成具有一定的预防作用。
Nocun M, Ulicna O, Muchova J, Durackova Z, Watala C
French maritime pine bark extract (Pycnogenol®) reduces thromboxane generation in blood from diabetic male rats.
Biomed Pharmacother 62: 168- 172, 2007
- Ref. 230** 临床研究：碧容健®通过增加健康男性体内的一氧化氮水平可使其内皮依赖性血管舒张升高42%。
Nishioka K, Hidaka T, Nakamura S, Umemura T, Jitsuiki D, Soga J, Goto C, Chayama K, Yoshizumi M, Higashi Y
Pycnogenol®, French Maritime Pine Bark Extract, augments endothelium-dependent vasodilation in humans.
Hypertens Res 30: 775-780, 2007

- Ref. 229** 碧容健®可抵消病毒性感染，预防病毒诱导性心肌炎症。
Matsumori A, Higuchi H, Shimada M
French maritime pine bark extract inhibits viral replication and prevents development of viral myocarditis.
J Card Fail 13: 785-791, 2007
- Ref. 216** 碧容健®可预防小鼠的心力衰竭损害。
Zibadi S, Yu Q, Rohdewald PJ, Larson DF, Watson RR
Impact of Pycnogenol® on cardiac extracellular matrix remodeling induced by L-NAME administration to old mice.
Cardiovasc Toxicol 7: 10- 18, 2007
- Ref. 207** 碧容健®显示出强化体外心肌细胞的作用。
Hasegawa N, Kinoshita H, Mochizuki M
Pycnogenol® increases the probability of the contraction state in chick embryonic cardiomyocytes, indicating inotropic effects.
Phytother Res 21: 181- 182, 2007
- Ref. 200** 临床研究：碧容健®可减少高血压受试者服用低血压药物的水肿副作用。
Belcaro G, Cesarone MR, Ricci A, Cornelli U, Rohdewald P, Ledda A, Di Renzo A, Stuard S, Cacchio M, Vinciguerra G, Gizzi G, Pellegrini L, Dugall M, Fano F
Control of edema in hypertensive subjects treated with calcium antagonist (Nifedipine) or angiotensin-converting enzyme inhibitors with Pycnogenol®.
Clin Appl Thromb Hemost 12: 440-444, 2006
- Ref. 187** 临床研究：碧容健®可显著减少6个月治疗期内155位绝经女性患者的低密度脂蛋白和增加高密度脂蛋白。
Yang HM, Liao MF, Zhu SY, Liao MN, Rohdewald P
A randomized, double-blind, placebo-controlled trial on the effect of Pycnogenol® on the climacteric syndrome in peri-menopausal women.
Acta Obstet Gynecol Scand 86: 978-985, 2007
- Ref. 177** 综述：碧容健®与辅酶Q10协同作用可增强心血管健康。
Watson RR
Nutraceutical Synergism: Pycnogenol® and Coenzyme Q10 Enhance Cardiovascular Health.
Evid Based Integrative Med 2: 67-70, 2005
- Ref. 168** 综述：碧容健®可用作心血管健康及糖尿病的营养保健品。
Gulati OP
The Nutraceutical Pycnogenol®: its role in Cardiovascular Health and blood glucose control.
Biomed Rev 16: 49-57, 2005
- Ref. 140** 碧容健®可增强红细胞膜的流动性，保护红细胞免受氧化应激损害。
Sivonova M, Waczulikova I, Kilanczyk E, Hrciarova M, Bryszewska M, Klajnert B, Durackova Z
The effect of Pycnogenol® on the erythrocyte membrane fluidity.
Gen Physiol Biophys 23: 39-51, 2004
- Ref. 117** 临床研究：作为高血压药物和硝苯地平的辅助药物，碧容健®可改善血管内皮功能，允许减少药物剂量。
Liu X, Wei J, Tan F, Zhou S, Würthwein G, Rohdewald P
Pycnogenol® French maritime pine bark extract, improves 内皮功能 of hypertensive patients.
Life Sci 74: 855-862, 2004
- Ref. 114** 关于已发表研究中碧容健®对心血管健康有益作用的评论。
Watson RR
Pycnogenol® and Cardiovascular Health.
Evid Based Integrative Med 1: 27-32, 2003
- Ref. 093** 临床研究：碧容健®补充会降低总胆固醇和低密度脂蛋白、增加高密度脂蛋白，进而改善动脉粥样硬化指数。
Durackova Z, Trebaticka B, Novotny V, Zitnanova I, Breza J
Lipid metabolism and erectile function improvement by Pycnogenol®, extract from the bark of Pinus pinaster in patients suffering from erectile Dysfunction - a pilot study
Nutr Res 23: 1189- 1198, 2003
- Ref. 090** 碧容健®补充会降低总胆固醇和低密度脂蛋白、增加高密度脂蛋白，进而改善动脉粥样硬化指数。
Devaraj S, Vega-López S, Kaul N, Schönlaue F, Rohdewald P, Jialal I
Supplementation with a pine bark extract rich in polyphenols increases plasma antioxidant capacity and alters plasma lipoprotein profile.
Lipids 37: 931-934, 2002

- Ref. 080** 临床研究：碧容健®可降低未服用药物的高血压患者的血压。
Hosseini S, Lee J, Sepulveda RT, Rohdewald P, Watson RR
A randomized, double-blind, placebo-controlled, prospective, 16 week crossover study to determine the role of Pycnogenol® in modifying blood pressure in mildly hypertensive patients.
Nutr Res 21: 1251- 1260, 2001
- Ref. 079** 临床研究：碧容健®能显著降低慢性静脉功能不全患者的低密度脂蛋白，而七叶树籽提取物没有这种功能。
Koch R
Comparative study of Venostasin® and Pycnogenol® in chronic venous insufficiency.
Phytother Res 16: 1-5, 2002
- Ref. 053** 临床研究：碧容健®可抑制吸烟诱导的血栓烷B水平的升高，从而解释了吸烟者服用碧容健®后血小板聚集减少的原因。
Araghi-Niknam M, Hosseini S, Larson D, Rohdewald P, Watson RR
Pine bark extract reduces platelet aggregation.
Int Med 2: 73-77, 1999
- Ref. 043** 临床研究：碧容健®可抑制心脏病患者的血小板聚集和粘附，改善血液微循环。
Wang S, Tan D, Zhao Y, Gao G, Gao X, Hu L
The effect of Pycnogenol® on the microcirculation, platelet function and ischemic myocardium in patients with coronary artery diseases.
Eur Bull Drug Res 7: 19-25, 1999
- Ref. 042** 碧容健®有助于通过血管舒张、抗血小板聚集、自由基清除和毛细血管封闭作用维持健康的血液循环。文中还讨论了内皮一氧化氮（NO）的作用。
Rohdewald P
Reducing the risk for stroke and heart infarction with Pycnogenol®.
Eur Bull Drug Res 7: 14- 18, 1999
- Ref. 036** 临床研究：碧容健®以剂量依赖性方式抑制人吸烟诱导的血小板聚集。这种作用会持续6 天以上，与阿司匹林不同的是，它不会增加出血。
Pütter M, Grottemeyer KHM, Würthwein G, Araghi-Nik
Pütter M, Grottemeyer KHM, Würthwein G, Araghi-Niknam M, Watson RR, Hosseini S, Rohdewald P
Inhibition of smoking-induced platelet aggregation by aspirin and Pycnogenol®.
Thromb Res 95: 155- 161, 1999
- Ref. 027** 碧容健®阻碍血管收缩。碧容健®通过一氧化氮促进血管舒张活性。
Fitzpatrick DF, Bing B, Rohdewald P
Endothelium-dependent vascular effects of Pycnogenol®.
J Cardiovasc Pharmacol 32: 509-515, 1998
- Ref. 017** 碧容健®可抑制大鼠的血管收缩素II转化酶（ACE），产生中等降血压作用。
Blazso G, Gaspar R, Gabor M, Rűve H-J, Rohdewald P
ACE inhibition and hypotensive effect of procyanidinis containing extract from the bark of Pinus pinaster Sol.
Pharm Pharmacol Lett 6: 8- 11, 1996

2 认知功能

- Ref. 584** 临床研究：碧容健®能改善帕金森病患者的认知功能和面部/身体表情。
Belcaro G, Cesarone MR, Hu S, Hosoi M, Ledda A, Feragalli B, et al.
Pycnogenol® supplementation alleviates symptoms of Parkinson's disease with mild cognitive impairment.
Journal of neurosurgical sciences. 2022;66(4):371-7, 2022
- Ref. 582** 临床研究：与哌醋甲酯不同，碧容健®不会导致多动症患者食欲不振或体重下降。
Weyns A-S, Verlaet AAJ, Van Herreweghe M, Breynaert A, Fransen E, De Meester I, et al.
Clinical Investigation of French Maritime Pine Bark Extract on Attention-Deficit Hyperactivity Disorder as compared to Methylphenidate and Placebo: Part 2: Oxidative Stress and Immunological Modulation.
Journal of Functional Foods. 2022;97:105247, 2022
- Ref. 581** 临床研究：碧容健®可以替代常用药物利他能，适用于小儿多动症的活动过度和易冲动，效果好，无不良反应。
Weyns A-S, Verlaet AAJ, Breynaert A, Naessens T, Fransen E, Verhelst H, et al.
Clinical Investigation of French Maritime Pine Bark Extract on Attention-Deficit Hyperactivity Disorder as compared to Methylphenidate and Placebo: Part 1: Efficacy in a Randomised Trial.
Journal of Functional Foods. 2022;97:105246, 2022

- Ref. 566** 在帕金森病模型中，碧容健®通过发挥抗炎、抗氧化和神经保护作用，明显改善了运动功能、全身僵硬症和抑郁症。
Jafari F, Goudarzvand M, Hajikhani R, Qorbani M, Solati J.
Pycnogenol® ameliorates motor function and gene expressions of NF- κ B and Nrf2 in a 6-hydroxydopamine-induced experimental model of Parkinson's disease in male NMRI mice.
Naunyn-Schmiedeberg's Archives of Pharmacology, 2022
- Ref. 557** 碧容健®对认知功能的有益影响述评。
Schönlau F
Chapter 23 - The multifactorial contributions of Pycnogenol® for cognitive function improvement.
Nutraceuticals in Brain Health and Beyond, D. Ghosh Ed., pp. 335-341: Academic Press: 2021, 2021
- Ref. 546** 姜黄素以及碧容健®可能有助于缓解海湾战争疾病的症状。
Donovan EK, Kekes-Szabo S, Lin JC, Massey RL, Cobb JD, Hodgins KS, Ness TJ, Hangee-Bauer C, Younger JW.
A Placebo-Controlled, Pseudo-Randomized, Crossover Trial of Botanical Agents for Gulf War Illness: Curcumin (*Curcuma longa*), Boswellia (*Boswellia serrata*), and French Maritime Pine Bark (*Pinus pinaster*).
International Journal of Environmental Research and Public Health 18(5): 2468., 2021
- Ref. 511** 临床研究：碧容健®可改善帕金森病患者与认知功能下降有关的一些症状和体征。
Cesarone, M. R., G. Belcaro, M. Hosoi, A. Ledda, B. Feragalli, C. Maione, C. Scipione, V. Scipione, R. Cotellese and S. Hu
Supplementary management with Pycnogenol® in Parkinson's disease to prevent cognitive impairment.
J Neurosurg Sci 64(3): 258-262, 2020
- Ref. 503** 这篇综述总结了碧容健®通过血管、抗炎、神经保护和抗氧化过程改善神经认知功能的生物调节作用，并对未来可能的研究进行了展望。
Simpson T, Kure C, Stough C
Assessing the efficacy and mechanisms of Pycnogenol® on cognitive aging from in vitro animal and human studies.
Frontiers in Pharmacology, 2019
- Ref. 494** 这项临床前试验的结果建议要评估碧容健®在临床上对轻度认知障碍和阿尔茨海默病早期阶段的潜在用途。
Paarman K, Prakash SR, Krohn M, Möhle L, Brackhan M, Brüning T, Eiriz I, Pahnke J
French maritime pine bark treatment decelerates plaque development and improves spatial memory in Alzheimer's disease mice.
Phytomed 57: 39-48. doi: 10. 1016/j.phymed.2018. 11.033. Epub 2018 Nov 29, 2019
- Ref. 474** 临床研究：已有研究显示，碧容健®对存在早期认知损害的受试者可产生很多积极效应，而这种效应可归因于碧容健®对氧化应激水平的影响。
Hosoi M, Belcaro G, Saggino A, Luzzi R, Dugall M, Feragalli B
Pycnogenol® supplementation in minimal cognitive dysfunction.
J Neurosurg Sci 62(3): 279-284, 2018
- Ref. 472** 综述：碧容健®可提高抗氧化水平，减轻氧化损伤，改善神经化学状态，因此认为其对儿童多动症有治疗效果。
Verlaeat AAJ, Maasackers CM, Hermans N, Savelkoul HFJ
Rationale for Dietary Antioxidant Treatment of ADHD.
Nutrients 10, 405; doi: 10.3390/nu10040405, 2018
- Ref. 431** 临床研究：补充碧容健®12个月可提高55至70岁正常受试者的认知能力，降低氧化应激水平。
Belcaro G, Dugall M, Ippolito E, Hu S, Saggino A, Feragalli B
The COFU3 Study: Improvement in cognitive function, attention, mental performance with Pycnogenol® in healthy subjects (55-70) with high oxidative stress.
J Neurosurg Sci 59: 437-446, 2015
- Ref. 424** 在临床前临床研究中，碧容健®抵抗脑小胶质细胞的炎症情况。
Fan B, Dun S-H, Gu J-Q, Guo Y, Ikuyama S
Pycnogenol attenuates the release of proinflammatory cytokines and expression of perilipin 2 in lipopolysaccharides-stimulated microglia in part via inhibition of NF- κ B and AP-1 activation.
PLOS ONE 10(9): e0137837.doi:10. 1371/journal, 2015
- Ref. 419** 碧容健®研究采用双盲，安慰剂对照方案。
Stough C, Pase MP
Improving cognition in the elderly with nutritional supplements.
Current Directions in Psychological Science 24: 177- 183, 2015

- Ref. 407** 补充碧容健®12周可改善医护专业人员的认知功能和氧化应激水平。
Belcaro G, Luzzi R, Dugall M, Ippolito E, Saggino A
Pycnogenol® improves cognitive function, attention, mental performance and specific professional skills in healthy professionals aged 35-55.
J Neurosurg Sci 58: 239-248, 2014
- Ref. 345** 临床研究：碧容健®可显著改善健康学生的记忆、认知、注意力和情绪。
Luzzi R, Belcaro G, Zulli C, Cesarone MR, Cornelli U, Dugall M, Hosoi M, Feragalli B
Pycnogenol® supplementation improves cognitive function, attention and mental performance in students.
Panminerva Med 53: 75-82, 2011
- Ref. 241** 临床研究：碧容健®能够显著改善101位记忆缺失老年人的记忆力，保护他们的神经元细胞膜的多不饱和脂肪酸免受氧化损伤。
Ryan J, Croft K, Wesnes K, Stough C
An examination of the effects of the antioxidant Pycnogenol® on cognitive performance, serum lipid profile, endocrinological and oxidative stress biomarkers in an elderly population.
J Psychopharmacol 22: 553-562, 2008
- Ref. 231** 临床研究：碧容健®可降低注意力缺陷多动障碍症（ADHD）儿童的应激激素水平。
Dvorakova M, Jezova D, Blazicek P, Trebaticka J, Skodacek I, Suba J, Waczulikova I, Rohdewald P, Durackova Z
Urinary catecholamines in children with attention deficit hyperactivity disorder (ADHD): modulation by a polyphenolic extract from pine bark (Pycnogenol®).
Nutr Neurosci 10: 151- 157, 2007
- Ref. 205** 临床研究：碧容健®可改善注意力缺陷多动障碍症（ADHD）儿童的抗氧化能力。
Dvorakova M, Sivonova M, Trebaticka J, Skodacek I, Waczulikova I, Muchova J, Durackova Z
The effect of polyphenolic extract from pine bark, Pycnogenol®, on the level of glutathione in children suffering from attention deficit hyperactivity disorder (ADHD).
Redox Rep 11: 163- 172, 2006
- Ref. 204** 临床研究：碧容健®可预防注意力缺陷多动障碍症（ADHD）儿童的DNA不被氧化。
Chovanova Z, Muchova J, Sivonova M, Dvorakova M, Zitnanova I, Waczulikova I, Trebaticka J, Skodacek I, Durackova Z
Effect of polyphenolic extract, Pycnogenol®, on the level of 8-oxoguanine in children suffering from attention deficit/ hyperactivity disorder.
Free Radic Res 40: 1003- 1010, 2006
- Ref. 190** 临床研究：在一项双盲安慰剂对照的研究中，碧容健®能够缓解注意力缺陷多动障碍症（ADHD）儿童的多动症，改善其注意力。
Trebaticka J, Kopasova S, Hradečna Z, Cinovsky K, Skodacek I, Suba J, Muchova J, Zitnanova I, Waczulikova I, Rohdewald P, Durackova Z
Treatment of ADHD with French maritime pine bark extract, Pycnogenol®.
Eur Child Adolesc Psychiatry 15: 329-335, 2006
- Ref. 083** 阿尔茨海默病患者大脑内的β-淀粉样蛋白会诱发神经元细胞凋亡（细胞早死亡）。体外实验显示，碧容健®能够抑制神经元的死亡。
Peng QL, Buz'Zard AR, Lau BHS
Pycnogenol® protects neurones from amyloid β peptide-induced apoptosis.
Brain Res Mol Brain Res 104: 55-65, 2002
- Ref. 069** 碧容健®会显著减少β-淀粉样蛋白引起的血管损伤。β-淀粉样蛋白变性是阿尔茨海默病（AD）的神经病理学标志之一。它解释了碧容健®具有能够降低阿尔茨海默病风险的作用。
Liu F, Lau BHS, Peng Q, Shah V
Pycnogenol® protects vascular endothelial cells from β-amyloid-induced injury.
Biol Pharm Bull 23: 735-737, 2000
- Ref.052** 碧容健®可改善衰老过程常见症状中的学习记忆障碍和记忆缺失。
Liu F, Zhang Y, Lau BHS
Pycnogenol® improves learning impairment and memory deficit in senescence-accelerated mice.
J Anti Aging Med 2: 349-355, 1999
- Ref. 048** 临床研究：建议使用碧容健®治疗注意力缺失症。
Hanley JL
Attention Deficit Disorder.
Impact Communications Inc., Green Bay, WI, USA, 17- 19, 1999
- Ref. 047** 临床研究：这封写给编辑的信中有提到服用碧容健®治疗注意力缺陷多动障碍症（ADHD）的疗效鲜明。
Heimann SW
Pycnogenol® for ADHD?
J Am Acad Child Adolesc Psychiatry 38: 357-358, 1999

3 糖尿病及代谢综合征

- Ref. 534** 临床研究：糖尿病和非糖尿病的口干综合征（Xerostomia）患者在补充碧容健®后，唾液流量和粘膜破损和溃疡得到改善。
Belcaro G, Cesarone MR, Cornelli U, Scipione, C., Scipione, V., Dugall, M., Hu, S., Feragalli, B., Hosoi, M., Maione, C., Cotellese, R., Cesinaro Di Rocco, P.
Xerostomia: prevention with Pycnogenol® supplementation: a pilot study.
Minerva Stomatol. 2019;68(6):303-307, 2019
- Ref. 508** 临床研究：碧容健®能改善健康人的勃起功能，对糖尿病患者更是如此。同时，碧容健®可降低总胆固醇和低密度脂蛋白胆固醇，以及糖尿病患者的血糖。
Trebaticky, B., Muchova J, Ziaran S, Bujdak P, Breza J, Durackova Z
Natural polyphenols improve erectile function and lipid profile in patients suffering from erectile dysfunction.
Bratisl Lek Listy, 120(12): p. 941-944, 2019
- Ref. 448** 一项提出将碧容健®作为常规治疗肝炎相关性糖尿病的辅助治疗的综述。
Ezzikouri S, Jadid FZ, Hamdi S, Wakrim L, Tsukiyama-Kohara K, Benjelloun S
Supplementing Conventional Treatment with Pycnogenol® May Improve Hepatitis C Virus-Associated Type 2 Diabetes: A Mini Review.
J Clin Translational Hepatol 4: 228-233, 2016
- Ref. 435** 在糖尿病动物模型中向二甲双胍药物中补充加入碧容健®有类似的作用。
Jankyova S, Rubintova D, Janosikova L, Panek P, Foltanova T, Kralova E
The Effects of Pycnogenol® as Add-on Drug to Metformin Therapy in Diabetic Rats.
Phytother Res 30: 1354- 1361, 2016
- Ref. 415** 本综述论文包含目前关于碧容健®用于改善代谢综合征患者和糖尿病患者健康方面的知识。
Gulati O
Pycnogenol® in Metabolic Syndrome and Related Disorders.
Phytother Res 29: 949-968, 2015
- Ref. 408** 临床研究：碧容健®可改善内皮功能。这项公开注册研究的结果表明，对于边缘型高血压、高血糖和高脂血症受试者来说，很可能有重要的预防性作用。
Hu S, Belcaro G, Cornelli U, Luzzi R, Cesarone MR, Dugall M, Feragalli B, Errichi B, Ippolito E, Grossi MG, Hosoi M, Gizzi G, Trignani M
Effects of Pycnogenol® on endothelial dysfunction in borderline hypertensive, hyperlipidemic, and hyperglycemic individuals: the borderline study.
Int Angiol 34(1): 43-52, 2015
- Ref. 401** 临床研究：摄入碧容健®可降低血糖水平，增强血浆的抗氧化能力。
Muchova J, Orszaghova Z, Zitnanova I, Trebaticky B, Breza J, Durackova Z
The effect of natural polyphenols on the oxidative stress markers in patients with diabetic nephropathy.
Free Rad Biol Med 72: 42, 2014
- Ref. 397** 碧容健®可改善实验性糖尿病大鼠的心脏功能。
Kralova E, Jankyova S, Mucaji P, Gresakova E, Stankovicova T
Pycnogenol and its fractions influence the function of isolated heart in rats with experimental diabetes mellitus.
J Pathology Research & Practice, 211: 156- 161, 2015
- Ref. 385** 碧容健®有益于新陈代谢及心血管健康。
Aribal-Ayral P, Özcelci-Kavas G, Elhan AH
Pycnogenol® supplementation and its beneficial effects in healthy rats.
Saudi Med J 35(2): 195- 197, 2014
- Ref. 384** 碧容健®在降低糖尿病相关并发症风险方面可能具有一定的成本效益。
Bentley G, Schönlauf F, Zibadi S, Watson R
Cost of Pycnogenol® Supplementation and Traditional Diabetes Treatments per Unit of Improved Health Outcome.
Chapter 27 in R.R. Watson et al., (eds.), Nutrients, Dietary Supplements, and Nutraceuticals: Cost Analysis Versus Clinical Benefits, Nutrition and Health, Springer Science+Business Media LLC 2011
- Ref. 381** 碧容健®与β受体阻滞剂卡维地洛联合治疗可改善糖尿病动物的心脏功能。碧容健®可改善心肌收缩与冠脉流量的血液动力学参数值。
Králová E, Jankyová S, Pekárik A, Cubon J, Stankovicová T
Carvedilol and Pycnogenol® improve the function of diabetic heart in rats.
Acta Fax Pharm Univ Comen LX, 2013 (1)
- Ref. 360** 临床研究：碧容健®可在三个月内使代谢综合征的所有体征和症状改善至健康值范围内。
Belcaro G, Cornelli U, Luzzi R, Cesarone MR, Dugall M, Feragalli B, Errichi S, Ippolito E, Grossi MG, Hosoi M, Cornelli M, Gizzi G
Pycnogenol® supplementation improves health risk factors in subjects with metabolic syndrome.
Phytother Res 27: 1572- 1578, 2013
Diabetic Syndrome

- Ref. 334** 药理学实验中, 碧容健®被证实能够保护糖尿病性肾病模型的肾细胞免受葡萄糖之损害。
Kim YJ, Kim YA, Yokozawa T
Pycnogenol® modulates apoptosis by suppressing oxidative stress and inflammation in high glucose-treated renal tubular cells.
Food Chem Toxicol 49: 2196-2201, 2011
- Ref. 308** 碧容健®在动物糖尿病模型中对肝脏具有抗氧化保护作用。
Parveen K, Khan MR, Mujeeb M, Siddiqui WA
Protective effects of Pycnogenol® on hyperglycemia-induced oxidative damage in the liver of type 2 diabetic rats.
Chem Biol Interact 186: 219 -227, 2010
- Ref. 300** 研究显示, 碧容健®在体外模型中能够促进脂肪细胞更好地吸收葡萄糖, 这就表明它具有抗糖尿病的益处。
Lee HH, Kim K-J, Lee OH, KJ, Lee BY
Effect of Pycnogenol® on glucose transport in mature 3T3-L1 adipocytes.
Phytother Res 24: 1242- 1249, 2010
- Ref. 293** 临床研究: 根据尿蛋白减少和肾脏血流灌注增加判断, 碧容健®可改善代谢综合征患者的肾功能。
Stuard S, Belcaro G, Cesarone MR, Ricci A, Cornelli U, Gizzi G
Kidney function in metabolic syndrome may be improved with Pycnogenol®
Panminerva Med 52 (suppl. 1 to No. 2): 27-32, 2010
- Ref. 288** 碧容健®可改善某动物模型的内皮功能和血管形态。
Rezzani R, Porter E, De Ciuceis C, Bonomini F, Rodella LF, Paiardi S, Boari GEM, Platto C, Pilu A, Avanzi D, Rizzoni D, Rosei EA
Effects of melatonin and Pycnogenol® on small artery structure and function in spontaneously hypertensive rats.
Hypertension 55: 1373- 1380, 2010
- Ref. 271** 临床研究: 糖尿病视网膜病变早期服用碧容健®可部分恢复视力, 进一步强化视网膜的毛细血管。
Steigerwalt R, Belcaro G, Cesarone MR, Di Renzo A, Grossi MG, Ricci A, Dugall M, Cacchio M, Schönlaue F
Pycnogenol® improves microcirculation, retinal edema, and visual acuity in early diabetic retinopathy.
J Ocul Pharmacol Ther 25: 537-540, 2009
- Ref. 261** 本综述论文包含了碧容健®对糖尿病患者的多方面贡献作用。
Rohdewald P
Regulation of diabetes by Pycnogenol®.
Botanical medicine in clinical practice. (ed.) Watson, R.R., Preedy, V.R.; Wallingford, England, CABI Publishing, Ch. 62: 587-594, 2008
- Ref. 237** 临床研究: 糖尿病和高血压药物配合碧容健®服用可进一步显著改善患者的血糖和心血管风险因子, 允许大多数患者减少抗高血压药物的服用。
Zibadi S, Rohdewald P, Park D, Watson RR
Reduction of cardiovascular risk factors in subjects with Type 2 Diabetes by Pycnogenol® supplementation.
Nutr Res 28: 315-320, 2008
- Ref. 233** 相比阿司匹林, 碧容健®能更有效地减少I型糖尿病药理学模型的血小板聚集, 这说明它具有预防糖尿病患者形成血栓的作用。
Nocun M, Ulicna O, Muchova J, Durackova Z, Watala C
French maritime pine bark extract (Pycnogenol®) reduces thromboxane generation in blood from diabetic male rats.
Biomed Pharmacother 62: 168- 172, 2007
- Ref. 209** 碧容健®可通过抑制 α -葡糖苷酶来抑制膳食中碳水化合物的吸收。
Schäfer A, Högger P
Oligomeric procyanidins of French maritime pine bark extract (Pycnogenol®) effectively inhibit alpha-glucosidase.
Diabetes Res Clin Pract 77: 41-46, 2007
- Ref. 199** 临床研究: 碧容健®可减少糖尿病性微血管病。
Cesarone MR, Belcaro G, Rohdewald P, Pellegrini L, Ledda A, Vinciguerra G, Ricci A, Gizzi G, Ippolito E, Fano F, Dugall M, Cipollone G, Acerbi G, Cacchio M, Del Boccio G, Di Renzo A, Stuard S, Corsi M
Improvement of diabetic microangiopathy with Pycnogenol®: A prospective, controlled study.
Angiology 57: 431-436, 2006
- Ref. 195** 临床研究: 碧容健®可加速糖尿病性溃疡的愈合。
Belcaro G, Cesarone MR, Errichi BM, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Gizzi G, Rohdewald P, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M
Diabetic ulcers: microcirculatory improvement and faster healing with Pycnogenol®.
Clin Appl Thromb Hemost 12: 318-323, 2006

- Ref. 184** 碧容健®能够增加大鼠视网膜中的抗氧化酶浓度，这说明视网膜病和白内障形成风险相对较低。
Kamuren ZT, McPeck CG, Sanders RA, Watkins JB
Effects of low-carbohydrate diet and Pycnogenol® treatment on retinal antioxidant enzymes in normal and diabetic rats.
J Ocul Pharmacol Ther 22: 10- 18, 2006
- Ref. 156** 碧容健单独使用碧容健®或与其他抗氧化剂结合使用都能刺激糖尿病大鼠视网膜内的抗氧化酶活性。
Dene BA, Maritime AC, Sanders RA, Watkins JB
Effects of Antioxidant Treatment on Normal and Diabetic rat retinal enzyme activities.
J Ocul Pharmacol Ther 21: 28-35, 2005
- Ref. 153** 单独使用碧容健®或与其他抗氧化剂结合使用都能减少糖尿病大鼠的氧化应激参数。
Berryman AM, Maritim AC, Sanders RA, Watkins JB
Influence of treatment of Diabetic rats with combinations of Pycnogenol®, beta-carotene, and alpha-lipoic acid on parameters of oxidative stress.
J Biochem Mol Toxicol 18: 345-352, 2004
- Ref. 142** 临床研究：糖尿病患者补充碧容健®可降低其血糖水平。
Liu X, Wei J, Tan F, Zhou S, Würthwein G, Rohdewald P
Antidiabetic effect of Pycnogenol® French maritime pine bark extract in patients with diabetes type II.
Life Sci, 75: 2505-2513, 2004
- Ref. 110** 碧容健®可抑制导致糖尿病患者产生晚期糖基化终末产物（AGE）的体外美德拉反应。
Zhang TM, Han CH, Han YW, Gong H, Zhang EY, Zhang Y
Inhibitory effect of Pycnogenol® on generation of advanced glycation end products in vitro.
Chin Pharmacol Bull 19: 437-440, 2003
- Ref. 109** 临床研究：在一项剂量探索研究中，碧容健®能够降低II型糖尿病患者的血糖水平，改善患者的内皮功能。
Liu X, Zhou H-J, Rohdewald P
French maritime pine bark extract Pycnogenol® dose-dependently lowers glucose in type II diabetic patients.
Diabetes Care 27: 839, 2004
- Ref. 105** 碧容健®降低糖尿病患者的血糖，增强细胞内抗氧化防御机制。
Maritim A, Dene BA, Sanders RA, Watkins JB
Effect of Pycnogenol® treatment on oxidative stress in streptozotocin-induced diabetic rats.
J Biochem Mol Toxicol 17: 193- 199, 2003
- Ref. 092** 临床研究：该评论呈现了五项关于碧容健®临床研究的结果，这些结果表明，碧容健®对糖尿病视网膜病变患者有一定的治疗疗效。
Schönlau F, Rohdewald P
Pycnogenol® for diabetic retinopathy: A review.
Int Ophthalmol 24: 161- 171, 2002
- Ref. 090** 临床研究：碧容健®补充可减少人志愿者体内的“有害”胆固醇低密度脂蛋白。
Devaraj S, Vega-López S, Kaul N, Schönlau F, Rohdewald P, Jialal I
Supplementation with a pine bark extract rich in polyphenols increases plasma antioxidant capacity and alters plasma lipoprotein profile.
Lipids 37: 931-934, 2002
- Ref. 080** 临床研究：针对轻度高血压患者进行的随机化、双盲、安慰剂对照研究显示，碧容健®能够降低患者血压。此外，碧容健®能显著减少这些患者血液中的血管收缩因子（血栓素）。
Hosseini S, Lee J, Sepulveda RT, Rohdewald P, Watson RR
A randomized, double-blind, placebo-controlled, prospective, 16 week crossover study to determine the role of Pycnogenol® in modifying blood pressure in mildly hypertensive patients.
Nutr Res 21: 1251- 1260, 2001

4 眼部健康

- Ref. 528** 临床研究：碧容健®预防复发性视网膜静脉血栓的效果优于阿司匹林、噻氯匹定和舒洛地特，且无副作用。
Belcaro G, Dugall M, Bradford HD, Cesarone MR, Feragalli B, Gizzi C, Cotellesse R, Hu S, Rodriguez P, Hosoi M.
Recurrent retinal vein thrombosis: prevention with Aspirin, Pycnogenol®, ticlopidine, or sulodexide.
Minerva Cardioangiol. 2019 Apr;67(2):109- 114, 2019

- Ref. 417** 临床研究：碧容健®被证明有助于预防视网膜静脉血栓形成。
Rodriguez P, Belcaro G, Dugall M, Hu S, Luzzi R, Ledda A, Ippolito E, Corsi M, Ricci A, Feragalli B, Cornelli U, Gizzi C, Hosoi M
Recurrence of retinal vein thrombosis with Pycnogenol® or Aspirin® supplementation: a registry study.
Panminerva Med 57: 121- 125, 2015
- Ref. 271** 临床研究：糖尿病视网膜病变早期服用碧容健®可部分恢复视力，进一步强化视网膜的毛细血管。
Steigerwalt R, Belcaro G, Cesarone MR, Di Renzo A, Grossi MG, Ricci A, Dugall M, Cacchio M, Schönla F
Pycnogenol® improves microcirculation, retinal edema, and visual acuity in early diabetic retinopathy.
J Ocul Pharmacol Ther 25: 537-540, 2009
- Ref. 227** 碧容健®结合叶黄素使用可增强抗氧化剂活性，预防视网膜脂质发生氧化。
Nakanishi-Ueda T, Kamegawa M, Ishigaki S, Tsukahara M, Yano S, Wada K, Yasuhara H
Inhibitory Effect of Lutein and Pycnogenol® on Lipid Peroxidation in Porcine Retinal Homogenate.
J Clin Biochem Nutr 38: 204-210, 2006
- Ref. 184** 碧容健®可增大大鼠视网膜内的抗氧化酶浓度，即表明可降低发生视网膜病和白内障的风险。
Kamuren ZT, McPeck CG, Sanders RA, Watkins JB
Effects of low-carbohydrate diet and Pycnogenol® treatment on retinal antioxidant enzymes in normal and diabetic rats.
J Ocul Pharmacol Ther 22: 10- 18, 2006
- Ref. 156** 不管是单独使用碧容健®, 还是结合其他抗氧化剂一起使用, 都能激发糖尿病大鼠视网膜内的抗氧化酶活性。
Dene BA, Maritime AC, Sanders RA, Watkins JB
Effects of Antioxidant Treatment on Normal and Diabetic rat retinal enzyme activities.
J Ocul Pharmacol Ther 21: 28-35, 2005
- Ref. 092** 临床研究：此综述论文囊括了五项关于碧容健®的临床研究结果，这些结果表明碧容健®补充对于糖尿病视网膜病变患者有一定的治疗疗效。
Schönla F, Rohdewald P
Pycnogenol® for diabetic retinopathy: A review.
Int Ophthalmol 24: 161- 171, 2002
- Ref. 075** 碧容健®对视网膜病有一定的有益作用。
L, Balestrazzi E
Treatment of vascular retinopathies with Pycnogenol®.
Phytother Res 15: 219-223, 2001
- Ref. 051** 在预防视网膜发生抗氧化损伤方面，碧容健®比其他试验的任何抗氧化剂都有效与辅酶Q10等其他抗氧化剂结合使用时，碧容健®会显示出增效抗氧化剂的功效。
Chida M, Suzuki K, Nakanishi-Ueda T, Ueda T, Yasuhara H, Koide R, Armstrong D
In vitro testing of antioxidants and biochemical end-points in bovine retinal tissue.
Ophthalmic Res 31: 407-415, 1999
- Ref. 018** 碧容健®可保护眼睛视网膜免受自由基损害。
Ueda T, Ueda T, Armstrong D
Preventive effect of natural and synthetic antioxidants on lipid peroxidation in the mammalian eye.
Ophthalmic Res 28: 184- 192, 1996

5 健康老龄化

- Ref. 503** 这篇综述总结了碧容健®通过血管、抗炎、神经保护和抗氧化过程改善神经认知功能的生物调节作用。
Simpson T, Kure C, Stough C
Assessing the efficacy and mechanisms of Pycnogenol® on cognitive aging from in vitro animal and human studies.
Frontiers in Pharmacology, 2019
- Ref. 490** 关于碧容健®对衰老的相关症状的各种有益影响的综述。
Rohdewald P
Pleiotropic Effects of French Maritime Pine Bark Extract to Promote Healthy Aging.
Rejuvenation Res. 2019 Jun;22(3):210-217, 2019

- Ref. 488** 临床研究：碧容健®可改善老年人的常规体能状况，减少正常活动（如购物、散步、做家务）中的疲劳负担。
Hosoi M, Cotellesse R, Belcaro G, et al.
Pycnogenol®: Prevention of muscular mass and strength loss in the elderly.
J 运动 Med Physical Fitness, ahead of print, 2018, Pharma standard (PS) supplements. Papers from the London sessions January 2018.
Eds. Belcaro G, Dugall M, Ledda A., ISBN: 978-88-7711-940
- Ref. 453** 临床研究：碧容健®能进一步缓解更年期症状，明显改善血糖和血脂，并能维持健康的血压、C反应蛋白和同型半胱氨酸值。
Luzzi R, Belcaro G, Hosoi M, Feragalli B, Cornelli U, Dugall M, Ledda A
Normalization of cardiovascular risk factors in peri-menopausal women with Pycnogenol®.
Minerva Ginecol 69: 29-34, 2017
- Ref. 431** 临床研究：补充碧容健®12个月可提高55至70岁正常受试者的认知能力，降低氧化应激水平。
Belcaro G, Dugall M, Ippolito E, Hu S, Saggino A, Feragalli B
The COFU3 Study: Improvement in cognitive function, attention, mental performance with Pycnogenol® in healthy subjects (55-70) with high oxidative stress.
J Neurosurg Sci 59: 437-446, 2015
- Ref. 336** 临床研究：碧容健®可显著减少与更年期过渡期有关的症状和体征。
Errichi S, Bottari A, Belcaro G, Cesarone MR, Hosoi M, Cornelli U, Dugall M, Ledda A, Feragalli B
Supplementation with Pycnogenol® improves signs and symptoms of menopausal transition.
Panminerva Med 53: 65-70, 2011
- Ref. 241** 临床研究：碧容健®能够显著改善101位记忆缺失老年人的记忆力，保护他们的神经元细胞膜的多不饱和脂肪酸免受氧化损伤。
Ryan J, Croft K, Wesnes K, Stough C
An examination of the effects of the antioxidant Pycnogenol® on cognitive performance, serum lipid profile, endocrinological and oxidative stress biomarkers in an elderly population.
J Psychopharmacol 22: 553-562, 2008
- Ref. 187** 临床研究：一项针对155名更年期妇女的双盲、安慰剂对照研究显示，碧容健®显著提高了总抗氧化状态。
Yang HM, Liao MF, Zhu SY, Liao MN, Rohdewald P
A randomised, double-blind, placebo-controlled trial on the effect of Pycnogenol® on the climacteric syndrome in peri-menopausal women.
Acta Obstet Gynecol Scand 86: 978-985, 2007
- Ref. 098** 碧容健®能延长果蝇的寿命，因此能延缓衰老。
Shuguang L, Xinwen Z, Sihong X, Gulati OP
Role of Pycnogenol® in aging by increasing the Drosophila's life-span.
Eur Bull Drug Res 11: 39-45, 2003

6 免疫

- Ref. 572** 碧容健®可通过抑制口蹄疫病毒（FMDV）和典型猪热病病毒（CSFV）的内部核糖体进入位点（IRES）的活性，发挥抗病毒作用。
Ide Y, Kitab B, Ito N, Okamoto R, Tamura Y, Matsui T, Sakoda Y, Tsukiyama-Kohara, K.
Characterization of host factors associated with the internal ribosomal entry sites of foot-and-mouth disease and classical swine fever viruses.
Scientific Reports. 2022;12(1), 2022
- Ref. 537** 临床研究：碧容健®可安全地用于系统性红斑狼疮伴血管炎缓解期受试者的轻微症状，改善狼疮血管炎的一些症状和体征。
Cesarone MR, Belcaro G, Corsi M, Scipione C, Scipione V, Hu S, Hosoi M, Ledda A, Feragalli B, Cotellesse R.
Supplementary management with Pycnogenol® in patients with lupus vasculitis in remission phases: a pilot, concept registry study.
Minerva Cardioangiol. 2020;68(2):146- 152, 2020
- Ref. 505** 小综述表明含有碧容健®的牙膏可以改善口腔健康，预防牙周病的发生。
Sato, T., K. Watanabe, H. Sasaki, H. Hiramane, S. Goda and N. Hamada.
Antimicrobial activity and inhibitory effect of alveolar bone loss of toothpaste containing a natural plant extract.
Kanagawa Shigaku 53(1/2): 40-44, 2018

- Ref. 498** 碧容健®的胃肠道代谢作用显示其具有免疫调节和抗炎特性。
Verlaet A, van der Bolt N, Meijer B, Breynaert A, Naessens T, Konstanti P, Smidt H, Hermans N, Savelkoul HFJ, Teodorowicz M Toll-Like Receptor-Dependent Immunomodulatory Activity of Pycnogenol®.
Nutrients 11: 214; doi:10.3390/nu11020214, 2019
- Ref. 448** 一项提出将碧容健®作为常规治疗肝炎相关性糖尿病的辅助治疗的综述。
Ezzikouri S, Jadid FZ, Hamdi S, Wakrim L, Tsukiyama-Kohara K, Benjelloun S
Supplementing Conventional Treatment with Pycnogenol® May Improve Hepatitis C Virus-Associated Type 2 Diabetes: A Mini Review.
J Clin Translational Hepatol 4: 228-233, 2016
- Ref. 409** 碧容健®可作为治疗和预防骨病（如牙周炎）的药剂。
Sugimoto H, Watanabe K, Toyama T, Takahashi S-s, Sugiyama S, Lee M-C-I, Hamada N
Inhibitory Effect of French Pine Bark Extract, Pycnogenol®, on Alveolar Bone Resorption and on the Osteoclast Differentiation.
Phytother Res 29(2): 251-259, 2015
- Ref. 398** 碧容健®可以提高当前标准抗病毒药物的疗效。
Ezzikouri S, Nishimura T, Kohara M, Benjelloun S, Kino Y, Inoue K, Matsumori A, Tsukijama-Kohara
Inhibitory effects of Pycnogenol® on hepatitis C virus replication.
Antiviral Res 113: 93- 102, 2015
- Ref. 396** 临床研究：碧容健®可减少普通感冒的症状，缩短其病程，也可预防一些并发症。
Belcaro G, Shu H, Luzzi R, Dugall M, Ippolito E, Cesarone MR, Corsi M, Feragalli B
Improvement of common cold with Pycnogenol®: a Winter registry study.
Panminvera Med 56: 301-308, 2014
- Ref. 395** 补充碧容健®可以恢复紊乱的免疫功能，预防早逝。
Lee J, Nam D-E, Kim O-K, Lee M-Y
Pycnogenol® attenuates the symptoms of immune dysfunction through restoring a cellular antioxidant status in low micronutrient-induced immune deficient mice.
Nutr Res Pract 8(5): 533-538, 2014
- Ref. 375** 临床研究：给处于缓解期的克罗恩病患者服用碧容健®，可降低氧化应激水平。
Kolacek M, Muchova J, Dvorakova M, Paduchova Z, Zitnanova I, Cierna I, Orszaghova Z, Szekyova D, Jajcaiova-Zednickova N, Kovacs L, Durackova Z
Effects of natural polyphenols (Pycnogenol®) on oxidative stress markers in children suffering from Crohn's disease –a pilot study.
Free Rad Res 47(8): 624-634, 2013
- Ref. 369** 临床研究：碧容健®补充剂可加速普通感冒的恢复，与维生素C和锌结合使用，效果更佳。
Belcaro G, Luzzi R, Umberto C, Hu S, Dugall M, Ippolito E, Cesarone MR, Corsi M, Pellegrini L, Ledda A, Appendino G
The common cold Winter Study: Effects of Pycnogenol® on Signs, Symptoms, Complications & Costs.
Otorinolaringol 63: 151- 161, 2013
- Ref. 361** 在一个模型系统中碧容健®显示出对预防帕金森病的保护作用。
Khan M, Kempuraj D, Thangavel R, Zaheer A
Protection of MPTP-induced neuroinflammation and neurodegeneration by Pycnogenol®.
Neurochem Int 62: 379-388, 2013
- Ref. 356** 临床研究：将碧容健®溶于甘油口服，可显著控制化疗儿童患者发生口腔黏膜炎。
Khurana H, Pandey RK, Saksena AK, Kumar A
An evaluation of vitamin E and Pycnogenol® in children suffering from oral mucositis during cancer chemotherapy.
Oral Diseases 19: 456-464, 2012
- Ref. 247** 在细胞培养实验中，碧容健®减少了艾滋病病毒的复制和T细胞的互动。
Feng WY, Tanaka R, Inagaki Y, Saitoh Y, Chang MO, Amet T, Yamamoto N, Yamaoka S, Yoshinaka Y
Pycnogenol®, a procyanidin-rich extract from French maritime pine, inhibits intracellular replication of HIV-1 as well as its binding to host cells.
Jpn J Infect Dis 61: 279-285, 2008
- Ref. 245** 临床研究：碧容健®有助于减少癌症化疗和放疗患者的各种常见副作用。
Belcaro G, Cesarone MR, Genovesi D, Ledda A, Vinciguerra G, Ricci A, Pellegrini L, Gizzi G, Ippolito E, Dugall M, Cacchio M, Di Renzo A, Stuard S
Pycnogenol® may alleviate adverse effects in oncologic treatment.
Panminerva Med 50: 227-234, 2008

- Ref. 236** 碧容健®增加了巨噬细胞的吞噬能力，表明其能更好地防止病原体感染。
Wu TF, Hsu CY, Huang HS, Chou SP, Wu H
Proteomic analysis of Pycnogenol® effects in RAW 264.7 macrophage reveals induction of cathepsin D expression and enhancement of phagocytosis.
J Agric Food Chem 55: 9784-9791, 2007
- Ref. 229** 碧容健®可抑制心肌（心肌炎）中的病毒复制。
Matsumori A, Higuchi H, Shimada M
French maritime pine bark extract inhibits viral replication and prevents development of viral myocarditis.
J Card Fail 13: 785-791, 2007
- Ref. 228** 碧容健®可抑制心肌炎的病毒复制。
Matsumori A
Treatment Options in Myocarditis.
Herz 32: 452-456, 2007
- Ref. 225** 碧容健®可抑制幽门螺杆菌的生长及其对胃黏膜细胞的粘附作用。
Rohdewald P, Beil W
In vitro inhibition of Helicobacter pylori growth and adherence to gastric mucosal cells by Pycnogenol®.
Phytother Res 22: 685-688, 2007
- Ref. 221** 碧容健®可抑制两种致突变化学品的有害作用。
Krizkova L, Chovanova Z, Durackova Z, Krajcovic J
Antimutagenic in vitro Activity of Plant Polyphenols: Pycnogenol® and Ginkgo biloba Extract (EGb 761).
Phytother Res 22: 384-388, 2007
- Ref. 208** 碧容健®可减少人卵巢细胞癌的发生。
Buzzard AR, Lau BHS
Pycnogenol® reduces Talc-induced Neoplastic Transformation in Human Ovarian Cell Cultures.
Phytother Res 21: 579-586, 2007
- Ref. 173** 碧容健®可选择性杀死卵巢生殖癌细胞。
Buzzard AR, Lau BHS
Selective toxicity of Pycnogenol® for malignant ovarian germ cells in vitro.
Int J Cancer Prev 1: 207-212, 2004
- Ref. 150** 碧容健®显示出显著的体外抗菌活性。
Torras MAC, Faura CA, Schönlaui F, Rohdewald P
Antimicrobial activity of Pycnogenol®.
Phytother Res 19: 647-648, 2005
- Ref. 111** 晒伤后外敷碧容健®可抑制紫外辐射诱导对免疫系统的抑制作用。
Sime S, Reeve VE
Protection from inflammation, immunosuppression and carcinogenesis induced by UV radiation in mice by topical Pycnogenol®.
Photochem Photobiol 79: 193- 198, 2004
- Ref. 095** 碧容健®可激活体外巨噬细胞，更有效地杀死入侵细菌。
Shah V, Bayeta E, Lau BHS
Pycnogenol® augments macrophage phagocytosis and cytokine secretion.
Pak J Nutr 1: 196-201, 2002
- Ref. 082** 临床研究：碧容健®对红斑狼疮患者有一定的有益作用。
Stefanescu M, Matache C, Onu A, Tanaseanu S, Dragomir C, Constantinescu I, Schönlaui F, Rohdewald P, Szelegi G
Pycnogenol® Efficacy in the Treatment of Systemic Lupus Erythematosus Patients.
Phytother Res 15: 698-704, 2001
- Ref. 059** 碧容健®可选择性杀死人体的癌性乳腺细胞（MCF-7），且不会对正常乳腺细胞（MCF-10）产生任何影响。
Huynh HT, Teel RW
Selective induction of apoptosis in human mammary cancer cells (MCF-7) by Pycnogenol®.
Anticancer Res 20: 2417-2420, 2000
- Ref. 055** 一定浓度的碧容健®会以时间依赖方式加速巨噬细胞系统中的TNF- α 分泌，即它可作为巨噬细胞免疫反应的调制器。
that it acts as modulator of the immune response in macrophages.
Park YC, Rimbach G, Saliou C, Valacchi G, Packer L
Activity of monomeric, dimeric, and trimeric flavonoids on NO production, TNF-alpha secretion, and NF-kappaB- dependent gene expression in RAW 264.7 macrophages.
FEBS Lett 465: 93-97, 2000

- Ref. 029** 碧容健®可减慢因免疫细胞和血液细胞生成系统活动下降而引起的衰老，使它们恢复正常功能。
Liu FJ, Zhang YX, Lau BHS
Pycnogenol® enhances immune and haemopoietic functions in senescence-accelerated mice.
Cell Mol Life Sci 54: 1168- 1172, 1998
- Ref. 016** 碧容健®可加快感染致白血病逆转录病毒小鼠的免疫系统活动。碧容健®能够增强自然杀伤细胞的毒性。
Cheshier JE, Ardestani-Kaboudanian S, Liang B, Araghi Niknam M, Chung S, Lane L, Castro A, Watson RR
Immunomodulation by Pycnogenol® in retro-virus infected or ethanol-fed mice.
Life Sci 58: 87-96, 1996

7 关节健康

- Ref. 487** 临床研究：碧容健®贴片可安全有效地管理疼痛和改善特异性、良性、短暂性颈痛的症状。
Belcaro G, Dugall M, Feragalli B, et al.
Prevention of symptoms associated to neck pain with a Pycnogenol® patch.
J 运动 Med Physical Fitness, Pharma standard (PS) supplements. Papers from the London sessions January 2018. Eds. Belcaro G, Dugall M, Ledda A., ISBN; 978-88-7711-940, 2018
- Ref. 477** 临床研究：膝骨关节炎患者使用碧容健®贴片后，其症状可得到控制，中重度疼痛和炎症均得以减轻。
Feragalli B, Dugall M, Luzzi R, Ledda A, Hosoi M, Belcaro G, Cesarone MR
Pycnogenol®: supplementary management of symptomatic osteoarthritis with a patch. An observational registry.
Minerva Endocrinologica, Pharma standard (PS) supplements. Papers from the London sessions January 2018. Eds. Belcaro G, Dugall M, Ledda A., ISBN; 978-88-7711-940, 2018
- Ref. 464** 临床研究：已对碧容健®通过软骨细胞、滑液和血清而反映出来的临床疗效进行了系统研究。总体结果提示海岸松树皮提取物具有软骨保护潜能。这些结果为理解现有文献报告的碧容健®对骨关节炎患者通过症状评分而体现出来的临床疗效提供了合理基础。
Jessberger S, Högger P, Genest F, Salter DM, Seefried L
Cellular pharmacodynamic effects of Pycnogenol® in patients with severe osteoarthritis: a randomized controlled pilot study.
BMC Complementary and Alternative Medicine 17: 537 DOI 10. 1186/s12906-017-2044- 1, 2017
- Ref. 461** 综述：碧容健®具有抗炎和软骨保护作用，其中含有可快速吸收的酚类化合物和缓慢代谢的原花青素，两种特性相结合，其可像缓释配方药物那样发挥作用。
Rohdewald PJ
Review on sustained relief of osteoarthritis symptoms with a proprietary extract from pine bark extract, Pycnogenol®.
J Med Food 21(1): 1-4, 2018
- Ref. 451** 临床研究：碧容健®局部贴敷，可舒缓肌肉疼痛。
Luzzi R, Belcaro G, Feragalli B, Dugall M
Moderate, diffuse, somatic muscular pain: effects of supplementation with a Pycnogenol® patch.
Minerva Ortopedica e Traumatologica 67(4): 170- 176, 2016
- Ref. 440** 临床研究：补充碧容健®被证明造成了骨关节炎患者膝盖滑液中成分和代谢物的积累，是症状改善的依据。
Müleik M, Seefried L, Genest F, Högger P
Distribution of constituents and metabolites of maritime pine bark extract (Pycnogenol®) into serum, blood cells and synovial fluid of patients with severe osteoarthritis: a randomized controlled trial.
Nutrients 9, 443, 2017
- Ref. 330** 碧容健®有助于预防骨质疏松动物模型的骨质脱钙。
Takano T, Kozai Y, Kawamata R, Wakao H, Sakurai T, Kashima I
Inhibitory effect of maritime pine bark extract (Pycnogenol®) on deterioration of bone structure in the distal femoral epiphysis of ovariectomized mice.
Oral Radiol 27: 8- 16, 2011
- Ref. 272** 临床临床研究：针对人体炎症过程的药理学调查显示，碧容健®能够抑制COX-2和5-LOX酶的产生。
Canali R, Comitato R, Schonlau F, Virgili F
The anti-inflammatory pharmacology of Pycnogenol® in humans involves COX-2 and 5-LOX mRNA expression in leukocytes.
Int Immunopharmacol 9: 1145- 1149, 2009

- Ref. 250** 临床研究：碧容健®可显著减少骨关节炎患者体内的炎症性标记物C反应蛋白，这说明它具有一定的抗炎性功效。
Belcaro G, Cesarone MR, Errichi S, Zulli C, Errichi BM, Vinciguerra G, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Gizzi G, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M, Rohdewald P
Variations in C-reactive protein, plasma free radicals and fibrinogen values in patients with osteoarthritis treated with Pycnogenol®.
Redox Rep 13: 271-276, 2008
- Ref. 249** 临床研究：碧容健®可改善骨关节炎关节的灵活性，减少疼痛，允许患者减少镇痛药物剂量。
Cisar P, Jany R, Waczulikova I, Sumegova K, Muchova J, Vojtassak J, Durackova Z, Lisy M, Rohdewald P
Effect of pine bark extract (Pycnogenol®) on symptoms of knee osteoarthritis.
Phytother Res 22: 1087- 1092, 2008
- Ref. 223** 临床研究：碧容健®能够改善156位骨关节炎患者的疼痛和活动性。
Belcaro G, Cesarone MR, Errichi S, Zulli C, Errichi BM, Vinciguerra G, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Errichi S, Gizzi G, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M, Rohdewald P
Treatment of osteoarthritis with Pycnogenol®. The SVOS (San Valentino Osteo-Arthrosis Study). Evaluation of Signs, Symptoms, Physical Performance and Vascular Aspects.
Phytother Res 22: 518-523, 2008
- Ref. 188** 临床研究：对于骨关节炎患者，碧容健®可减少其疼痛和关节硬度，允许其减少所需的NSAID药物量。
Farid R, Mirfeizi Z, Mirheidari M, Rezaieyazdi Z, Mansouri H, Esmaili H, Zibadi S, Rohdewald P, Watson RR
Pycnogenol® supplementation reduces pain and stiffness and improves physical function in adults with knee osteoarthritis.
Nutr Res 27: 692-697, 2007
- Ref. 185** 临床研究：在针对人受试者进行的药理学调查研究中，碧容健®能够抑制炎症发生相关的关键触发物。
Grimm T, Chovanova Z, Muchova J, Sumegova K, Liptakova A, Durackova Z, Högger P
Inhibition of NF-kappaB activation and MMP-9 secretion by plasma of human volunteers after ingestion of maritime pine bark extract (Pycnogenol®).
J Inflamm 3: 1-6, 2006
- Ref. 176** 碧容健®可非选择性抑制炎症期间疼痛相关的酶活性。
Schäfer A, Chovanová Z, Muchová J, Sumegová K, Liptáková A, Duracková Z, Högger P
Inhibition of COX- 1 and COX-2 activity by plasma of human volunteers after ingestion of French maritime pine bark extract (Pycnogenol®).
Biomed Pharmacother 60: 5-9, 2005
- Ref. 107** 人血液中发现的碧容健®及其代谢物可有力地抑制结缔组织破坏相关的基质金属蛋白酶。
Grimm T, Schäfer A, Högger P
Antioxidant activity and inhibition of matrix metalloproteinases by metabolites of maritime pine bark extract (Pycnogenol®).
J Free Radic Biol Med 36: 811-822, 2004

8 男性健康

- Ref. 536** 临床研究：碧容健®和Centellicum®可以减少阴茎斑块的瘢痕，改善阴茎纤维化。
Ledda A, Cornelli U, Belcaro G, et al.
Keloidal penile fibrosis: improvements with Centellicum® (Centella asiatica) and Pycnogenol® supplementation: a pilot registry.
Panminerva Med. 2020;62(1):13- 18. doi:10.23736/S0031-0808. 18.03572-3, 2020
- Ref. 508** 临床研究：碧容健®能改善健康人的勃起功能，对糖尿病患者更是如此。同时，碧容健®可降低总胆固醇和低密度脂蛋白胆固醇，以及糖尿病患者的血糖。
Trebaticky, B., Muchova J, Ziaran S, Bujdak P, Breza J, Durackova Z
Natural polyphenols improve erectile function and lipid profile in patients suffering from erectile dysfunction.
Bratisl Lek Listy, 120(12): p. 941-944, 2019
- Ref. 499** 临床研究：基于碧容健®改善内皮功能的能力，碧容健®可减少依他普仑（抗抑郁药）引起的性功能障碍和男女的心率升高。
Smetanka A, Stara V, Farsky, I, Tonhajzerova I, Ondrejka I
Pycnogenol® supplementation as an adjunct treatment for antidepressant-induced sexual dysfunction.
Physiol Int 106(1): 59-69, 2019

- Ref. 488** 临床研究：碧容健®可改善老年人的常规体能状况，减少正常活动（如购物、散步、做家务）中的疲劳负担。
Hosoi M, Cotellesse R, Belcaro G, et al.
Pycnogenol®: Prevention of muscular mass and strength loss in the elderly.
J 运动 Med Physical Fitness, ahead of print, 2018, Pharma standard (PS) supplements. Papers from the London sessions January 2018.
Eds. Belcaro G, Dugall M, Ledda A., ISBN; 978-88-7711-940
- Ref. 478** 临床研究：碧容健®可显著改善良性前列腺肥大的所有症状。对其他方面健康的男性而言，碧容健®可能是对良性前列腺肥大进行自我管理的一个重要选项。
Ledda A, Belcaro G, Feragalli B, Cornelli U, Dugall M, Corsi M, Cesarone MR
Benign prostatic hypertrophy: Pycnogenol® supplementation improves prostate symptoms and residual bladder volume.
Minerva Medica 109(4): 280-284, 2018
- Ref. 093** 临床研究：碧容健®补充会降低总胆固醇和低密度脂蛋白、增加高密度脂蛋白，进而改善动脉粥样硬化指数。
Durackova Z, Trebaticka B, Novotny V, Zitnanova I, Breza J
Lipid metabolism and erectile function improvement by Pycnogenol®, extract from the bark of Pinus pinaster in patients suffering from erectile Dysfunction - a pilot study.
Nutr Res 23: 1189- 1198, 2003
- Ref. 091** 临床研究：使用碧容健®治疗后，功能正常的精子增多，可使不孕夫妇不必依赖体外受精。
Roseff SJ
Improvement in sperm quality and function with French maritime pine tree bark extract.
J Reprod Med 47: 821-824, 2002
- Ref. 046** 临床研究：碧容健®能改善精子的形态。在补充碧容健®后，形态正常的精子的比例增加了99%。
Roseff S, Gulati O
Improvement of sperm quality by Pycnogenol®.
Eur Bull Drug Res 7: 33-36, 1999

9 口腔健康

- Ref. 534** 临床研究：糖尿病和非糖尿病的口干综合征（Xerostomia）患者在补充碧容健®后，唾液流量和粘膜破损和溃疡得到改善。
Belcaro G, Cesarone MR, Cornelli U, Scipione, C., Scipione, V., Dugall, M., Hu, S., Feragalli, B., Hosoi, M., Maione, C., Cotellesse, R., Cesinaro Di Rocco, P.
Xerostomia: prevention with Pycnogenol® supplementation: a pilot study.
Minerva Stomatol. 2019;68(6):303-307, 2019
- Ref. 505** 小综述表明含有碧容健®的牙膏可以改善口腔健康，预防牙周病的发生。
Sato, T., K. Watanabe, H. Sasaki, H. Hiramine, S. Goda and N. Hamada
Antimicrobial activity and inhibitory effect of toothpaste containing a natural plant extract.
Kanagawa Shigaku 53(1/2): 40-44., 2018
- Ref. 468** 临床研究：碧容健®口香糖可有效减轻口臭症状，其作用机理是减缓舌苔累积，减少唾液中可产生硫化氢的细菌数。
Watanabe K, Hiramine H, Toyama T, Hamada N
Effects of French Pine Bark Extract Chewing Gum on Oral Malodor and Salivary Bacteria.
J Nutr Sci Vitaminol 64: 185- 191, 2018
- Ref. 409** 碧容健®补充可作为牙周炎等骨疾病的有效治疗及预防药物。
Sugimoto H, Watanabe K, Toyama T, Takahashi S-s, Sugiyama S, Lee M-C-I, Hamada N
Inhibitory Effect of French Pine Bark Extract, Pycnogenol®, on Alveolar Bone Resorption and on the Osteoclast Differentiation.
Phytother Res 29(2): 251-259, 2015
- Ref. 356** 临床研究：将碧容健®溶于甘油口服，可显著控制化疗儿童患者发生口腔粘膜炎。
Khurana H, Pandey RK, Saksena AK, Kumar A
An evaluation of vitamin E and Pycnogenol® in children suffering from oral mucositis during cancer chemotherapy.
Oral Dis 19(5): 456-464, 2012

- Ref. 150** 碧容健0.025%浓度的碧容健®就可抑制革兰氏阳性和阴性菌及白色念珠菌。
Torrás MAC, Faura CA, Schönlau F, Rohdewald P
Short Communication: Antimicrobial activity of Pycnogenol®.
Phytother Res 19: 647-648, 2005
- Ref. 084** 临床研究：在一项对照临床试验中，口香糖中加入碧容健®可减少牙龈出血，并减少牙齿上菌斑的形成。
Kimbrough C, Chun M, de la Roca G, Lau BHS
Pycnogenol® chewing gum minimizes gingival bleeding and plaque formation.
Phytomed 9: 410-413, 2002
- Ref. 030** 碧容健®比其他黄酮类药物更能延长维生素C的寿命。
Cossins E, Lee R, Packer L
ESR studies of vitamin C regeneration, order of reactivity of natural source phytochemical preparations.
Biochem Mol Biol Int 45: 583-597, 1998

10 疼痛管理

- Ref. 576** 临床研究：碧容健®可缓解下肢不宁综合征引起的腿部疼痛等症状。
Belcaro G, Rohdewald P, Cesarone MR, Scipione C, Scipione V, Cornelli U, Luzzi R, Cotellesse R, Dugall M, Hosoi M, Corsi M, Feragalli B.
Restless legs syndrome: prevention with Pycnogenol® and improvement of the venoarteriolar response.
Panminerva Med. 2022;64(2):253-8, 2022
- Ref. 564** 临床研究：碧容健®可改善特发性背痛患者的活动能力和疼痛。
Cox D, Belcaro G, Cesarone MR, Cotellesse R, Dugall M, Feragalli B, Hosoi M, Corsi M, Luzzi R.
Primary benign back pain: supplementation with Pycnogenol®
Panminerva Med. 2021 Dec;63(4):472-477, 2021
- Ref. 544** 临床研究：碧容健®有助于控制和减轻纤维肌痛患者的疼痛强度。
Belcaro G, Hu S, Cesarone MR, Dugall M, Scipione C, Scipione V, Hosoi M, Ledda A, Cornelli U, Feragalli B, Cotellesse R
Idiopathic myalgic pain (fibromyalgia): supportive management and prevention with Pycnogenol®
Panminerva medica 63(1): 46-50, 2021
- Ref. 510** 临床研究：碧容健®可减少偏头痛或中度头痛患者的疼痛、症状的数量和严重程度。
Cesarone, M. R., M. Dugall, S. Hu, G. Belcaro, M. Hosoi, V. Scipione, C. Scipione and R. Cotellesse
Episodic primary migraine headache: supplementary prophylaxis with Pycnogenol® prevents attacks and controls oxidative stress.
Panminerva Med 62(2): 102- 108, 2020
- Ref. 506** 临床研究：碧容健®可改善微循环，减轻雷诺综合征患者的主要症状，包括疼痛。
Hu, S., M. Hosoi, G. Belcaro, M. Dugall, B. Feragalli, R. Cotellesse and R. Luzzi (2019) “
Management of mild, primary Raynaud Syndrome: supplementation with Pycnogenol®
Minerva Cardioangiol 67(5): 392-398, 2019
- Ref. 475** 临床研究：通过对3种不同策略（解痉灵、Antispasmina Col Forte 和碧容健®）的比较，发现碧容健在减轻与肠易激综合征相关的慢性不适方面有较高功效。
Belcaro G, Gizzi G, Pellegrini L, Feragalli B, Cotellesse R, Cacchio M, Corsi M
Pycnogenol® supplementation improves the control of irritable bowel syndrome symptoms.
Panminerva Med 60(2): 65-69, 2018
- Ref. 400** 临床研究：碧容健®与低剂量口服避孕药联合使用可有效减缓疼痛，减少出血天数。
Maia H, Haddad C, Casoy J
The effect of Pycnogenol® on patients with dysmenorrhea using low-dose oral contraceptives.
Int J Wo Men's Health 6: 1019- 1022, 2014
- Ref. 272** 临床研究：针对人体炎症过程的药理学调查显示，碧容健®能够抑制COX-2和5-LOX酶的产生。
Canali R, Comitato R, Schönlau F, Virgili F
The anti-inflammatory pharmacology of Pycnogenol® in humans involves COX-2 and 5-LOX mRNA expression in leukocytes.
Int Immunopharmacol 9: 1145- 1149, 2009

- Ref. 220** 临床研究：在一项由日本四家医院参与的多中心研究中，碧容健®可显著减轻痛经，减少患者所需的止痛药量。
Suzuki N, Uebaba K, Kohama T, Moniwa N, Kanayama N, Koike K
French Maritime Pine Bark Extract Significantly Lowers the Requirement for Analgesic Medication in Dysmenorrhea. A multicenter, randomized, double-blind, placebo-controlled study.
J Reprod Med 53: 338-346, 2008
- Ref. 219** 临床研究：碧容健®可减轻子宫内异位疼痛，其副作用少于激素治疗，且能够使一些女性怀孕。
Kohama T, Herai K, Inoue M
Effect of French Maritime Pine Bark Extract on endometriosis as compared with Leuprorelin acetate.
J Reprod Med 52: 703-708, 2007
- Ref. 176** 碧容健®可非选择性抑制炎症期间疼痛相关的酶活性。
Schäfer A, Chovanová Z, Muchová J, Sumegová K, Liptáková A, Duracková Z, Högger P
Inhibition of COX- 1 and COX-2 activity by plasma of human volunteers after ingestion of French maritime pine bark extract (Pycnogenol®).
Biomed Pharmacother 60: 5-9, 2005
- Ref. 174** 临床研究：碧容健®可减轻妊娠晚期的下腰痛。
Kohama T, Inoue M
Pycnogenol® Alleviates Pain Associated with Pregnancy.
Phytother Res 20: 232-234, 2006
- Ref. 145** 临床研究：碧容健®在子宫内异位、痛经等妇科疾病治疗中，具有一定的镇痛作用。它能减少经期痉挛、腹痛和压痛。
Kohama T, Suzuki N, Ohno S, Inoue M
Analgesic efficacy of French maritime pine bark extract in dysmenorrhea. An open clinical trial.
J Reprod Med 49: 828-832, 2004
- Ref. 045** 临床研究：碧容健®有助于子宫内异位、痛经等妇科疾病的治疗。它能减少经期痉挛、腹痛和压痛。
Kohama T, Suzuki N
The treatment of gynaecological disorders with Pycnogenol®.
Eur Bull Drug Res 7: 30-32, 1999

11 呼吸系统健康

- Ref. 555** 临床研究：碧容健®和Centellicum®可减少特发性间质性肺炎的纤维化成分，改善感染新冠肺炎后肺部疾病症状。
Belcaro Gianni, Cornelli U, Cesarone MR, Hu Shu, Feragalli Beatrice, Corsi Marcello, Bombardelli Ezio, Cotellesse Roberto, Hosoi Morio
Supplementary management with Pycnogenol®-Centellicum® may slow down the progression of pulmonary fibrosis and improve Post-Covid- 19 lung healing.
Biomed J Sci & Tech Res 28(1): 21275-21280, 2020
- Ref. 554** 临床研究：碧容健®和Centellicum®联合使用可改善特发性间质性肺炎的症状并减缓肺纤维化的发展，还可改善感染新冠肺炎后的肺部疾病。
Cesarone MR, Hu S, Belcaro G, Cornelli U, Feragalli B, Corsi M, Bombardelli E, Cotellesse R, Hosoi M, Rosenkvist L.
Pycnogenol®-Centellicum® supplementation improves lung fibrosis and Post-Covid- 19 lung healing.
Minerva Med. 2021 Jun 28, 2021
- Ref. 452** 临床前研究显示，碧容健®有助于控制过敏性鼻炎。
Günel C, Demirci B, Eryilmaz A, Yilmaz M, Meteoglu I, Ömürlü İK, Basal Y
Inhibitory Effect of Pycnogenol® on Airway Inflammation in Ovalbumin-Induced Allergic Rhinitis.
Balkan Me J 33: 620-626, 2016
- Ref. 447** 这项临床前研究表明，碧容健®可通过 Erk-sp1 途径抑制 CSE 刺激的 NCI-H292 细胞和 COPD 小鼠模型中炎症反应的减少。我们认为碧容健®可能有改善慢性阻塞性肺疾病症状的潜力。
Shin N-R, Ryu H-W, Ko J-W, Park J-W, Kwon O-K, Oh S-R, Kim J-C, Shin I-S, Ahn K-S
A standardized bark extract of Pinus pinaster Aiton (Pycnogenol®) attenuated chronic obstructive pulmonary disease via Erk-sp 1 signaling pathway.
J Ethnopharmacol 194: 412-420, 2016

- Ref. 444** 碧容健®用于治疗过敏性鼻炎 (hayfever) 的优点的综述。
Ross SM
Allergic Rhinitis. A proprietary extract of Pinus pinaster Aiton (Pycnogenol®) is found to improve the symptoms associated with allergic rhinitis.
Holist Nurs Pract 30: 301-304, 2016
- Ref. 441** 临床研究：研究发现碧容健®对过敏有效。
Belcaro G, Feragalli B, Hosoi M, Dugall M, Cornelli U
Pycnogenol® reduces the wheal and flare response to histamine in normal subjects.
Minerva Biotechnologica 28(2): 114- 119, 2016
- Ref. 396** 临床研究：碧容健®可减少普通感冒的症状，缩短其病程，也可预防一些并发症。
Belcaro G, Shu H, Luzzi R, Dugall M, Ippolito E, Cesarone MR, Corsi M, Feragalli B
Improvement of common cold with Pycnogenol®: a Winter registry study.
Panminvera Med 56: 301-308, 2014
- Ref. 380** 碧容健®可抑制大鼠哮喘。
Shin I-S, Shin N-R, Jeon C-M, Hong J-M, Kwon O-K, Kim J-C, O S-R, Hahn K-W, A K-S
Inhibitory effects of Pycnogenol® (French maritime pine bark extract) on airway inflammation in ovalbumin-induced allergic asthma.
Food Chem Toxicol 62: 681-686, 2013
- Ref. 369** 临床研究：碧容健®补充剂可加速普通感冒的恢复，与维生素C和锌结合使用，效果更佳。
Belcaro G, Luzzi R, Umberto C, Hu S, Dugall M, Ippolito E, Cesarone MR, Corsi M, Pellegrini L, Ledda A, Appendino G
The common cold Winter Study: Effects of Pycnogenol® on Signs, Symptoms, Complications & Costs.
Otorinolaringol 63: 151- 161, 2013
- Ref. 344** 临床研究：碧容健®有助于治疗过敏性哮喘症状，允许患者减少药物剂量。
Belcaro G, Luzzi R, Cesinaro Di Rocco P, Cesarone MR, Dugall M, Feragalli B, Errichi BM, Ippolito E, Grossi MG, Hosoi M, Errichi S, Cornelli U, Ledda A, Gizzi G
Pycnogenol® improvements in asthma management.
Panminerva Med 53: 57-64, 2011
- Ref. 287** 临床研究：过敏季节开始之前服用碧容健®可减少过敏人群的枯草热症状和花粉特异性抗体。
Wilson D, Evans M, Guthrie N, Sharma, P, Baisley J, Schönlauf F, Burki C
A randomized, double blind, placebo controlled exploratory study to evaluate the potential of Pycnogenol® for improving allergic rhinitis symptoms.
Phytother Res 24: 1115- 1119, 2010
- Ref. 270** 动物实验中，碧容健®能够抑制直接免疫球蛋白E介导的过敏反应。这表明碧容健®具有一般的抗过敏功效。
Choi YH, Yan GH
Pycnogenol® inhibits immunoglobulin E-mediated allergic response in mast cells.
Phytother Res 23: 1691- 1695, 2009
- Ref. 149** 临床研究：碧容健®可改善肺功能，减少儿童哮喘症状。
Lau BHS, Riesen SK, Truong KP, Lau EW, Rohdewald P, Barreta RA
Pycnogenol® as an adjunct in the management of childhood asthma.
J Asthma 41: 825-832, 2004
- Ref. 089** 碧容健®阻滞肥大细胞释放组胺的功效与平喘药DNCG相同。
Sharma SC, Sharma S, Gulati OP
Pycnogenol® inhibits the release of histamine from mast cells.
Phytother Res 17: 66-69, 2003
- Ref. 077** 临床研究：在一项安慰剂对照的交叉研究中，碧容健®能够减少哮喘症状、改善哮喘患者的肺功能。
Hosseini S, Pishnamazi S, Sadrzadeh MH, Farid F, Farid R, Watson RR
Pycnogenol® in the management of asthma.
J Med Food 4: 201-209, 2001

12 皮肤护理（口服和外用）

- Ref. 571** 临床研究：局部涂抹碧容健®可有效预防炎症性痤疮。
Kim K-Y.
The effect Pycnogenol has on the acne skin of Koreans in their 10s and 20s.
Journal of Digital Convergence. 2022;20(3):487–95, 2022
- Ref. 551** 碧容健®可以下调酪氨酸酶，减少与色素有关的介质，减少黑色素的产生，从而在体外抑制皮肤色素沉着。
Ayres EL, Silva JDS, Eberlin S, Facchini G, Vasconcelos C, Costa A.
In-vitro effect of pine bark extract on melanin synthesis, tyrosinase activity, production of endothelin- 1 and PPAR in cultured melanocytes exposed to Ultraviolet, Infrared, and Visible light radiation.
J Cosmet Dermatol. 2021
- Ref. 550** 临床研究：碧容健®对处于巨大环境压力下的城市户外工作者的皮肤保湿、弹性和美白都有好处。
Zhao H., Wu J., Wang N., Grether-Beck S., Krutmann J., Wei L.
Oral Pycnogenol® Intake Benefits the Skin in Urban Chinese Outdoor Workers: A Randomized, Placebo-Controlled, Double-Blind, and Crossover Intervention Study
Skin Pharmacol Physiol: p. 1- 11, 2021
- Ref. 545** 外用含有碧容健®的生物胶膜，可以刺激角质细胞生长，促进受损皮肤部位的愈合。
Pagano C, Puglia D, Luzi F, Michele AD, Sciota S, Primavilla S, et al.
Development and Characterization of Xanthan Gum and Alginate Based Bioadhesive Film for Pycnogenol Topical Use in Wound Treatment.
Pharmaceutics 13(3): 324, 2021
- Ref. 542** 在静脉曲张的硬化治疗后或由于慢性静脉功能不全的皮肤色素沉着过度模型中，碧容健®可防止人类皮肤在炎症压力下的含铁血黄素沉积。
Mello Netto BAS, Corassa JM, Facchini G, da Silva MS, Pinheiro ALTA, Eberlin S
Pre-clinical evaluation of the prophylactic effects of Pinus pinaster extract (Pycnogenol®) on skin hemosiderin deposits.
Surg Cosmet Dermatol. Rio de Janeiro v. 11 n.2 abr-jun. 2019 p. 121-5., 2019
- Ref. 439** 碧容健®可以减少人皮肤色素沉着。
Ayres EL, Costa A, Eberlin S, Clerici SP
Ex vivo study for evaluating the whitening activity of Pycnogenol® after exposure to ultraviolet and infrared radiations, and visible lights.
Surg Cosmet Dermatol 7: 303-307, 2015
- Ref. 430** 临床研究：本文评论了早期的碧容健®临床研究，确认了碧容健®增强皮肤弹性和增加水分的作用，强调了口服碧容健®使皮肤更加白皙的新成果，以及改善皮肤屏障功能的作用。
Grether-Beck S, Marini A, Jaenicke T, Krutmann J
French Maritime Pine Bark Extract (Pycnogenol®) Effects on Human Skin: Clinical and Molecular Evidence.
Skin Pharmacol Physiol 29: 13- 17, 2016
- Ref. 429** 临床研究：该研究描述了 31 名女性黑斑病患者补充碧容健®明显减少了皮肤色素沉着，但使用防晒霜除外。
Pinto CAS, Zuchi Delfes MF, Montanheiro dos Reis L, Garbers LE, Vieira da Rosa Passos PC, Skusa de Torre D
The use of Pycnogenol® in the treatment of melasma.
Surg Cosmet Dermatol 7: 218-222, 2015
- Ref. 414** 临床研究：研究证明，碧容健®与石榴提取物相结合可以增亮皮肤，有助于减少欧洲和亚洲女性的皮肤斑点。
De Schuyteneer A, Hamon I, Rohdewald P
A formulation of extracts from pine bark and pomegranate improves complexion after oral intake.
Esperienze Dermatologiche 17: 7- 11, 2015
- Ref. 389** 临床研究：口服碧容健®结合每日使用防晒霜可作为黄褐斑其他治疗的辅助手段。
Campos V
Oral administration of Pycnogenol® associated with sunscreen improve clinical symptoms of melasma.
J Am Acad Dermatol AB19 (P8471), 2014
- Ref. 388** 临床研究：碧容健®补充可改善牛皮癣最常见的临床表现。
Belcaro G, Luzzi R, Hu S, Cesarone MR, Dugall M, Ippolito E, Corsi M, Caporale S
Improvement in signs and symptoms in psoriasis patients with Pycnogenol® supplementation.
Panminerva Med 56: 41-48, 2014

- Ref. 348** 临床研究：碧容健®可增加女性皮肤弹性和水合性，这与皮肤中合成新胶原蛋白和透明质酸的效果显著一致。
Marini A, Grether-Beck S, Jaenicke T, Weber M, Burki C, Formann P, Brenden H, Schönlau F, Krutmann J
Pycnogenol® Effects on Skin Elasticity and Hydration Coincide with Increased Gene Expressions of Collagen Type I and Hyaluronic Acid Synthase in Women.
Skin Pharmacol Physiol 25: 86-92, 2012
- Ref. 243** 碧容健®抑制皮肤细胞中色素形成的功效是曲酸（皮肤美白产品中常用化合物之一）的四倍之多。
Kim YJ, Kang KS, Yokozawa T
The anti-melanogenic effect of Pycnogenol® by its anti-oxidative actions.
Food and Chemical Toxicol 46: 2466-2471, 2008
- Ref. 211** 碧容健®具有除皱作用：一篇综述论文。
Rona C, Vailati F, Berardesca E
The cosmetic treatment of wrinkles.
J Cosmet Dermatol 3: 26-34, 2004
- Ref. 195** 临床研究：碧容健®可加速糖尿病性溃疡的愈合。
Belcaro G, Cesarone MR, Errichi BM, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Gizzi G, Rohdewald P, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M
Diabetic Ulcers: Microcirculatory Improvement and Faster Healing with Pycnogenol®.
Clin Appl Thromb Hemost 12: 318-323, 2006
- Ref. 193** 口服碧容健®能够延缓并减少紫外光辐射后皮肤癌的发生。
Kyriazi M, Yova D, Rallis M, Lima A
Cancer chemo preventive effects of Pinus maritima bark extract on ultraviolet radiation and ultraviolet radiation-7,12 dimethylbenz(a) anthracene induced skin carcinogenesis of hairless mice.
Cancer Lett 237: 234-241, 2006
- Ref. 185** 临床研究：碧容健®可抑制发炎人皮肤中分解胶原蛋白与弹性蛋白相关的酶的释放。
Grimm T, Chovanova Z, Muchova J, Sumegova K, Liptakova A, Durackova Z, Högger P
Inhibition of NF-kappaB activation and MMP-9 secretion by plasma of human volunteers after ingestion of maritime pine bark extract (Pycnogenol®).
J Inflamm 3: 1-6, 2006
- Ref. 172** 临床研究：口服加外敷碧容健®可促进小腿溃疡快速愈合。
Belcaro G, Cesarone MR, Errichi BM, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Rohdewald P, Ippolito E, Ricci A, Cacchio M, Ruffini I, Fano F, Hosoi M
Venous Ulcers: Microcirculatory Improvement and Faster Healing with Local Use of Pycnogenol®.
Angiology 56: 699-705, 2005
- Ref. 150** 极低浓度的碧容健®也会显示出抗菌活性。
Torras MAC, Faura CA, Schönlau F, Rohdewald P
Anti-microbial activity of Pycnogenol®.
Phytother Res 19: 647-648, 2005
- Ref. 137** 碧容健®可通过人体皮肤吸收的证据。
Sarikaki V, Rallis M, Tanojo H, Panteri I, Dotsikas Y, Loukas YL, Papaioannou G, Demetzos C, Weber S, Moini H, Maibach HI, Packer L
In vitro percutaneous absorption of pine bark extract (Pycnogenol®) in human skin.
J Toxicol Cutaneous Ocul Toxicol 23: 149- 158, 2004
- Ref. 133** 外敷碧容健®可呈剂量依赖性加速伤口愈合过程，减少瘢痕形成。
Blazzo G, Gabor M, Schönlau F, Rohdewald P
碧容健® accelerates wound healing and reduces scar formation.
Phytother Res 18: 579-581, 2004
- Ref. 132** 临床研究：结合维生素、矿物质，补充碧容健®可改善女性皮肤的光滑度和弹性。
Segger D, Schönlau F
Supplementation with Evelle® improves smoothness and elasticity in a double blind, placebo- controlled study with 62 women.
J Dermatolog Treat 15: 222-226, 2004
- Ref. 111** 晒黑后外敷碧容健®可抑制光致癌作用。
Sime S, Reeve VE
Protection from inflammation, immunosuppression and carcinogenesis induced by UV radiation in mice by topical Pycnogenol®.
Photochem Photobiol 79: 193- 198, 2004

Ref. 107 临床研究：口服碧容健®后，体内普遍存在的成分及其代谢物会抑制胶原蛋白和弹性蛋白破坏酶。
Grimm T, Schäfer A, Högger P
Antioxidant activity and inhibition of matrix metalloproteinases by metabolites of maritime pine bark extract (Pycnogenol®).
J Free Radic Biol Med 36: 811-822, 2004

Ref. 094 关于碧容健®对皮肤护理有益作用的综述。
Schönlau F
The cosmeceutical Pycnogenol®.
J Appl Cosmetol 20: 241-246, 2002

Ref. 081 临床研究：碧容健®可消解女性皮肤的色素过度沉着。
Ni Z, Mu Y, Gulati O
Treatment of melasma with Pycnogenol®.
Phytother Res 16: 567-571, 2002

Ref. 074 临床研究：碧容健®可呈剂量依赖性抑制紫外光诱导的人体皮肤红斑，这说明它具有有效地抗光老化作用。
Saliou C, Rimbach G, Moini H, McLaughlin L, Hosseini S, Lee J, Watson RR, Packer L
Solar ultraviolet-induced erythema in human skin and nuclear factor-kappa-B-dependent gene expression in keratinocytes are modulated by French maritime pine bark extract.
J Free Radic Biol Med 30: 154- 160, 2001

Ref. 073 碧容健®会积极影响人角质细胞的基因表达谱，这表明其改善牛皮癣、皮肤病等炎症性皮肤病的前景广阔。
Rihn B, Saliou C, Bottin MC, Keith G, Packer L
From ancient remedies to modern therapeutics: Pine bark uses in skin disorders revisited.
Phytother Res 15: 76-78, 2001

Ref. 057 碧容健®可抑制炎症期间人皮肤细胞中粘附分子的产生，这将有助于减轻炎症性皮肤病。
Bito T, Roy S, Sen CK, Packer L
Pine bark extract Pycnogenol® down regulates IFN- γ - induced adhesion of T cells to human keratinocytes by inhibiting inducible ICAM- 1 expression.
J Free Radic Biol Med 28: 219-227, 2000

Ref. 030 碧容健®可延长维生素C的寿命，这将有助于增加皮肤中维生素C的含量。
Cossins E, Lee R, Packer L
ESR studies of vitamin C regeneration, order of reactivity of natural source phytochemical preparations.
Biochem Mol Biol Int 45: 583-597, 1998

Ref. 026 碧容健®可预防 α -生育酚被氧化，延长其在内皮细胞中的寿命。
Virgili F, Kim D, Packer L
Procyanidins extracted from pine bark protect α -tocopherol in ECV 304 endothelial cells challenged by activated RAW 264.7 macrophages: role of nitric oxide peroxynitrite.
FEBS Lett 431: 315-318, 1998

Ref. 019 碧容健®在两个不同模型中显示出抗水肿的作用。外敷碧容健®凝胶可保护皮肤免受紫外辐射之害。
Blazso G, Gabor M, Rohdewald P
Anti-inflammatory activities of procyanidin containing extracts from Pinus pinaster Ait. after oral and cutaneous application.
Pharmazie 52: 380-382, 1997
Skin Care

Ref. 009 碧容健®可从病理上增加较低的毛细血管壁阻力。研究显示，相比试验的其他生物黄酮素，碧容健®能最有效地强化毛细血管壁，减少毛细血管渗透性，故有助于起到抗水肿、抗炎症的作用。
Gabor M, Engi E, Sonkodi S
Die Kapillarwandresistenz und ihre Beeinflussung durch wasserlösliche Flavon Derivate bei spontan hypertensischen Ratten.
Phlebologie 22: 178- 182, 1993

Ref. 008 碧容健®可呈剂量依赖性保护皮肤免受紫外辐射诱导的氧化应激损伤（脂质过氧化和细胞毒性）。
Guochang Z
Ultraviolet radiation-induced oxidative stress in cultured human skin fibroblasts and antioxidant protection.
Bio Res Rep Univ Jyväskylä 33: 1-86, 1993

13 运动

- Ref. 488** 临床研究：碧容健®可改善老年人的常规体能状况，减少正常活动（如购物、散步、做家务）中的疲劳负担。
Hosoi M, Cotellesse R, Belcaro G, et al.
Pycnogenol®: Prevention of muscular mass and strength loss in the elderly.
J 运动 Med Physical Fitness, ahead of print, 2018, Pharma standard (PS) supplements. Papers from the London sessions January 2018.
Eds. Belcaro G, Dugall M, Ledda A., ISBN; 978-88-7711-940
- Ref 483** 临床研究：碧容健®提供运动后保护，防止氧化压力。
Aldret R, Bellar D
A Double-Blind, Cross-Over Study to Examine the Effects of Maritime Pine Extract on Exercise Performance and Postexercise Inflammation, Oxidative Stress, Muscle Soreness, and Damage.
Journal of dietary supplements: 1- 12, 2018
- Ref. 368** 临床研究：碧容健®可减少氧化应激，改善运动员的身体素质。
Vinciguerra G, Belcaro G, Bonanni E, Cesarone MR, Ledda A, Hosoi M, Dugall M, Cacchio M, Cornelli U
Evaluation of the effects of supplementation with Pycnogenol® on fitness in normal subjects with the Army Physical Fitness Test and in performances of athletes in the 100-minute triathlon.
J 运动 Med Phys Fitness 53(6): 644-654, 2013
- Ref. 230** 临床研究：碧容健®摄入可使年轻健康男性的血管舒张增加42%，从而保证为肌肉活动提供充足的血液和氧供应。
Nishioka K, Hidaka T, Nakamura S, Umemura T, Jitsuiki D, Soga J, Goto C, Chayama K, Yoshizumi M, Higashi Y
Pycnogenol®, French Maritime Pine Bark Extract, augments endothelium-dependent vasodilation in humans.
Hypertens Res 30: 775-780, 2007
- Ref. 189** 临床研究：碧容健®可减轻运动员和血管问题或腿部血液循环较差患者的肌肉疼痛和痉挛。
Vinciguerra G, Belcaro G, Cesarone MR, Rohdewald P, Stuard S, Ricci A, Di Renzo A, Hosoi M, Dugall M, Ledda A, Cacchio M, Acerbi G, Fano F
Cramps and muscular pain: prevention with Pycnogenol® in normal subjects, venous patients, athletes, claudicants and in diabetic microangiopathy.
Angiology 57: 331-339, 2006
- Ref. 044** 临床研究：通过跑步机测试发现碧容健®可使业余运动员的运动耐力增加21%。
Pavlovic P
Improved endurance by use of antioxidants.
Eur Bull Drug Res 7: 26-29, 1999

14 旅行健康

- Ref. 469** 临床研究：碧容健®可减轻水肿，对某些血栓事件可能也有控制作用。
Belcaro G, Cornelli U, Dugall M, Hosoi M, Cotellesse R, Feragalli B
Long-haul flights, edema, and thrombotic events: prevention with stockings and Pycnogenol® supplementation (LONFLIT Registry Study).
Minerva Cardioangiol 66: 152- 159, 2018
- Ref. 244** 临床研究：碧容健®可显著减轻洲际航班乘客常见的时差综合症严重程度。
Belcaro G, Cesarone MR, Steigerwalt RJ, Di Renzo A, Grossi MG, Ricci A, Stuard S, Ledda A, Dugall M, Cornelli U, Cacchio M
Jet-lag: Prevention with Pycnogenol®. Preliminary report: evaluation in healthy individuals and in hypertensive patients.
Minerva Cardioangiol 56(5 Suppl): 3-9, 2008
- Ref. 151** 临床研究：在一项双盲、安慰剂对照研究中，碧容健®能够有效消解长途飞行期间发生的小腿和脚踝肿胀。
Cesarone MR, Belcaro G, Rohdewald P, Pellegrini L, Ippolito E, Scoccianti M, Ricci A, Dugall M, Cacchio M, Ruffini I, Fano F, Acerbi G, Vinciguerra MG, Bavera P, Di Renzo A, Errichi BM, Mucci F
Prevention of edema in long flights with Pycnogenol®.
Clin Appl Thromb Hemost 11: 289-294, 2004
- Ref. 134** 临床研究：在一项涉及200位参与者的双盲、安慰剂对照试验中，碧容健®可用于预防长途航班乘客的血栓形成。
Belcaro G, Cesarone MR, Rohdewald P, Ricci A, Ippolito E, Dugall M, Griffin M, Ruffini I, Acerbi G, Vinciguerra MG, Bavera P, Di Renzo A, Errichi BM, Cerritelli F
Prevention of Venous Thrombosis and Thrombophlebitis in Long-Haul Flights with Pycnogenol®.
Clin Appl Thromb Hemost 10: 373-377, 2004

- Ref. 116** 临床研究：碧容健®与纳豆激酶结合使用能预防长途飞行中的深静脉血栓形成。
Cesarone MR, Belcaro G, Nicolaidis AN, Ricci A, Geroulakos G, Ippolito E, Brandolini R, Vinciguerra G, Dugall M, Griffin M, Ruffini I, Acerbi G, Corsi M, Riordan N, Stuard S, Bavera P, Di Renzo A, Kenyon J, Errichi BM
Prevention of venous thrombosis in long-haul flights with Flite Tabs: The Lonflit- Flite randomized controlled trial.
Angiology 54: 531-539, 2003
- Ref. 036** 临床研究：碧容健®以呈剂量依赖性方式抑制人体的血小板聚集。该作用会持续6天以上，与阿司匹林不同的是，它不会增加出血时间。
Pütter M, Grotemeyer KHM, Würthwein G, Araghi-Niknam M, Watson RR, Hosseini S, Rohdewald P
Inhibition of smoking-induced platelet aggregation by Aspirin and Pycnogenol®.
Thromb Res 95: 155- 161, 1999

15 静脉健康

- Ref. 542** 在静脉曲张的硬化治疗后或由于慢性静脉功能不全的色素沉着过度模型中，碧容健®可防止人类皮肤在炎症压力下的含铁血黄素沉积。
Mello Netto BAS, Corassa JM, Facchini G, da Silva MS, Pinheiro ALTA, Eberlin S
Pre-clinical evaluation of the prophylactic effects of Pinus pinaster extract (Pycnogenol®) on skin hemosiderin deposits.
Surg Cosmet Dermatol. Rio de Janeiro v. 11 n.2 abr-jun. 2019 p. 121-5., 2019
- Ref. 504** 临床研究：碧容健®（作为一种单一的治疗方法和与压迫法联合使用）对慢性静脉功能不全的管理、治疗和控制有明显效果。
Cesarone, M. R., G. Belcaro, G. B. Agus, E. Ippolito, M. Dugall, M. Hosoi, M. Corsi, R. Cotellese, B. Feragalli, C. Scipione, V. Scipione and C. Maione
Chronic venous insufficiency and venous microangiopathy: management with compression and Pycnogenol®.
Minerva Cardioangiol 67(4): 280-287, 2019
- Ref. 476** 在预防血栓后综合征和新发静脉血栓症方面，碧容健®比阿司匹林、舒洛地特和噻氯匹定更加有效。
Belcaro G, Dugall M, Hu S, Feragalli B, Cotellese R, Ledda A, Corsi M, Ricci A, Ippolito E, Errichi BM, Cornelli U, Cesarone MR, Hosoi M
Prevention of recurrent venous thrombosis and post-thrombotic syndrome.
Minerva Cardioangiol 66(3): 238-245, 2018
- Ref. 469** 临床研究：碧容健®可减轻水肿，对某些血栓事件可能也有控制作用。
Belcaro G, Cornelli U, Dugall M, Hosoi M, Cotellese R, Feragalli B
Long-haul flights, edema, and thrombotic events: prevention with stockings and Pycnogenol® supplementation (LONFLIT Registry Study).
Minerva Cardioangiol 66: 152- 159, 2018
- Ref. 463** 综述：碧容健®可缓解静脉性水肿。通过外用和口服途径联合给药，碧容健®可加快静脉性溃疡、糖尿病性溃疡和痔疮的愈合。
Rohdewald P
Pycnogenol® bei Erkrankungen des venösen Systems – eine systematische Übersicht.
Schweiz Z Ganzheitsmed 29: 372-375, 2017
- Ref. 459** 临床研究：相较于长筒袜、几种血管活性剂和抗水肿产品，碧容健®似乎是效力最强、疗效最好的产品。
Belcaro G, Dugall M, Luzzi R, Corsi M, Ledda A, Ricci A, Pellegrini L, Cesarone MR, Hosoi M, Errichi BM, Cornelli U, Cotellese R, Agus G, Feragalli B
Management of varicose veins and chronic venous insufficiency in a comparative registry with nine venoactive products in comparison with stockings.
Int J Angiol 26: 170- 178, 2017
- Ref. 434** 综述：与碧容健®生物活性和碧容健®用于治疗浮肿、溃疡、血栓形成、CVI 和痔疮的临床作用有关的研究总结。
Rohdewald P
Gerbstoffhaltiger Extrakt zur oralen und topischen Behandlung bei CVI und Hämorrhoidalleiden.
Phlebologie 44: 334-338, 2015
- Ref. 420** 临床研究：碧容健®优于其他静脉活性药物。
Belcaro G
A clinical comparison of Pycnogenol®, Antistax, and Stocking in Chronic Venous Insufficiency.
Int J Angiol 24: 268-274, 2015

- Ref. 392** 临床研究：使用碧容健®可改善产后静脉曲张的体征和症状以及静脉功能，加快静脉形状恢复。
Belcaro G, Dugall M, Luzzi R, Ippolito E, Cesarone MR
Postpartum Varicose Veins: Supplementation with Pycnogenol® or Elastic Compression - A 12-Month Follow-Up.
Int J Angiol DOI 10. 1055/s-0033- 1363784, 2014
- Ref. 386** 临床研究：碧容健®可减少静脉的被动扩张与延伸，赋予静脉壁更强大的恢复力和弹性，使其在动态应力后恢复至原有形状。
Belcaro G, Dugall M, Luzzi R, Hosoi M, Corsi M
Improvement of Venous Tone with Pycnogenol® in Chronic Venous Insufficiency: An Ex Vivo Study on Venous Segments.
Int J Angiol 23:47-52, 2014
- Ref. 383** 临床研究：妊娠期间，碧容健®可对痔疮的体征和症状表现出积极的作用。
Belcaro G, Gizzi G, Pellegrini M, Dugall M, Luzzi R, Corsi M, Ippolito E, Ricci A, Cesarone MR, Ledda A, Bottari A, Errichi BM
Pycnogenol® in postpartum symptomatic hemorrhoids.
Minerva Ginecologica 66(1): 77-84, 2014
- Ref. 370** 关于静脉功能不全和血栓形成管理中碧容健®相关作用的临床前及临床研究的最新简明综合评论。
Gulati OP
Pycnogenol® in Chronic Venous Insufficiency and Related Venous Disorders.
Phytother Res. 2014 Mar;28(3):348-62, 2014
- Ref. 337** 临床研究：12个月调查期内，碧容健®能预防遭受深静脉血栓患者发生水肿及血栓复发。
Errichi BM, Belcaro G, Hosoi M, Cesarone MR, Dugall M, Feragalli B, Bavera P, Hosoi M, Zulli C, Corsi M, Ledda A, Luzzi R, Ricci A
Prevention of post thrombotic syndrome with Pycnogenol® in a twelve-month study.
Panminerva Med 53: 21-27, 2011
- Ref. 292** 临床研究：碧容健®如压力袜一样可有效缓解慢性静脉功能不全患者的体征和症状。
Cesarone MR, Belcaro G, Rohdewald P, Pellegrini L, Ledda A, Vinciguerra G, Ricci A, Ippolito E, Fano F, Dugall M, Cacchio M, Di Renzo A, Hosoi M, Stuard S, Corsi M
Improvement of signs and symptoms of chronic venous insufficiency and microangiopathy with Pycnogenol®: A prospective, controlled study.
Phytomedicine 17: 835-839, 2010
- Ref. 280** 临床研究：碧容健®治疗可减少急性痔疮患者的疼痛与出血，改善恢复状况。
Belcaro G, Cesarone MR, Errichi B, Di Renzo A, Grossi MG, Ricci A, Dugall M, Cornelli U, Cacchio M, Rohdewald P
Pycnogenol® Treatment of Acute Hemorrhoidal Episodes.
Phytother Res 24: 438-444, 2010
- Ref. 258** 关于碧容健®用于治疗水肿（包括用于长途旅行期间腿部肿胀治疗的结果）相关众多研究的评论。
Belcaro G, Cesarone MR, Cornelli U, Rohdewald P, Ledda A, Di Renzo A, Stuard S, Cacchio M, Vinciguerra G, Gizzi G, Pellegrini L, Dugall M, Ricci A, Ruffini I, Fano F
Treatment of chronic venous insufficiency and prevention of economy class syndrome.
Botanical medicine in clinical practice. (ed.) Watson, R.R., Preedy, V.R.; Wallingford, England, CABI Publishing, Ch. 64: 603-609, 2008
- Ref. 206** 临床研究：碧容健®可减轻静脉微血管病。
Cesarone MR, Belcaro G, Rohdewald P, Pellegrini L, Ledda A, Vinciguerra G, Ricci A, Gizzi G, Ippolito E, Fano F, Dugall M, Acerbi G, Cacchio M, Di Renzo A, Hosoi M, Stuard S, Corsi M
Rapid Relief of Signs/Symptoms in Chronic Venous Microangiopathy with Pycnogenol®: A Prospective, Controlled Study.
Angiology 57: 569-576, 2006
- Ref. 200** 临床研究：碧容健®能减少长期降压药物治疗的常见副作用水肿。
Belcaro G, Cesarone MR, Ricci A, Cornelli U, Rohdewald P, Ledda A, Di Renzo A, Stuard S, Cacchio M, Vinciguerra G, Gizzi G, Pellegrini L, Dugall M, Fano F
Control of Edema in Hypertensive Subjects Treated with Calcium Antagonist (Nifedipine) or Angiotensin-Converting Enzyme Inhibitors with Pycnogenol®.
Clin Appl Thromb Hemost 12: 440-444, 2006
- Ref. 195** 临床研究：碧容健®可加速糖尿病溃疡的愈合。
Belcaro G, Cesarone MR, Errichi BM, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Gizzi G, Rohdewald P, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M
Diabetic Ulcers: Microcirculatory Improvement and Faster Healing with Pycnogenol®.
Clin Appl Thromb Hemost 12: 318-323, 2006

- Ref. 182** 临床研究：在比较性临床研究中，碧容健®显示出比Daflon®治疗慢性静脉功能不全更优越的活性。
Cesarone MR, Belcaro G, Rohdewald P, Pellegrini L, Ledda A, Vinciguerra G, Ricci A, Gizzi G, Ippolito E, Fano F, Dugall M, Acerbi G, Cacchio M, Di Renzo A, Hosoi M, Stuard S, Corsi M
Comparison of Pycnogenol® and Daflon® in Treating Chronic Venous Insufficiency: A Prospective, Controlled Study.
Clin Appl Thromb Hemost 12: 205-212, 2006
- Ref. 172** 临床研究：口服加局部外用碧容健®后可加速小腿溃疡的愈合。
Belcaro G, Cesarone MR, Errichi BM, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Rohdewald P, Ippolito E, Ricci A, Cacchio M, Ruffini I, Fano F, Hosoi M
Venous Ulcers: Microcirculatory Improvement and Faster Healing with Local Use of Pycnogenol®.
Angiology 56: 699-705, 2005
- Ref. 151** 临床研究：在双盲、安慰剂对照研究中，碧容健®能够有效消解长途飞行期间发生的小腿和脚踝肿胀。
Cesarone MR, Belcaro G, Rohdewald P, Pellegrini L, Ippolito E, Scoccianti M, Ricci A, Dugall M, Cacchio M, Ruffini I, Fano F, Acerbi G, Vinciguerra MG, Bavera P, Di Renzo A, Errichi BM, Mucci F
Prevention of edema in long flights with Pycnogenol®.
Clin Appl Thromb Hemost 11: 289-294, 2005
- Ref. 134** 临床研究：碧容健®能预防长途飞行中的血栓形成与血栓性静脉炎。
Belcaro G, Cesarone MR, Rohdewald P, Ricci A, Ippolito E, Dugall M, Griffin M, Ruffini I, Acerbi G, Vinciguerra MG, Bavera P, Di Renzo A, Errichi BM, Cerritelli F
Prevention of venous thrombosis and thrombophlebitis in long-haul flights with Pycnogenol®.
Clin Appl Thromb Hemost 10: 373-377, 2004
- Ref. 116** 临床研究：碧容健®与纳豆激酶结合使用能预防长途飞行中的深静脉血栓形成。
Cesarone MR, Belcaro G, Nicolaidis AN, Ricci A, Geroulakos G, Ippolito E, Brandolini R, Vinciguerra G, Dugall M, Griffin M, Ruffini I, Acerbi G, Corsi M, Riordan N, Stuard S, Bavera P, Di Renzo A, Kenyon J, Errichi BM
Prevention of venous thrombosis in long-haul flights with Flite Tabs: The Lonflit- Flite randomized controlled trial.
Angiology 54: 531-539, 2003
- Ref. 112** 临床研究：曲克芦丁中添加碧容健®能显著增强慢性静脉功能不全治疗的疗效，长效缓解症状。
Riccioni C, Sarcinella R, Izzo A, Palermo G, Liguori L
Efficacia della troxerutina associata al Pycnogenol® nel trattamento farmacologico dell'insufficienza venosa.
Minerva Cardioangiol 52: 43-48, 2004
- Ref. 079** 临床研究：在临床试验中，碧容健®显示出比七叶树籽更高的静脉功能不全治疗疗效。
Koch R
Comparative study of Venostasin® and Pycnogenol® in chronic venous insufficiency.
Phytother Res 16: 1-5, 2002
- Ref. 067** 临床研究：碧容健®可显著减轻慢性静脉功能不全的症状。
Petrassi C, Mastromarino A, Spartera C
Pycnogenol® in chronic venous insufficiency.
Phytomed 7: 383-388, 2000
- Ref. 066** 临床研究：碧容健®可显著改善慢性静脉功能不全，促进其症状的消失。
Arcangeli P
Pycnogenol® in chronic venous insufficiency.
Fitoterapia 71: 236-244, 2000
- Ref. 041** 综述论文：介绍了碧容健®治疗人静脉疾病的疗效性及安全性。文章还讨论了减轻水肿的治疗机制。
Gulati OP
Pycnogenol® in venous disorders: A review.
Eur Bull Drug Res 7: 8- 13, 1999
- Ref. 009** 碧容健®可从病理上增加较低的毛细血管壁阻力。研究显示，相比试验的其他生物黄酮素，碧容健®能最有效地强化毛细血管壁，减少毛细血管渗透性。
Gabor M, Engi E, Sonkodi S
Die Kapillarwandresistenz und ihre Beeinflussung durch wasserlösliche Flavon Derivate bei spontan hypertensischen Ratten.
Phlebologie 22: 178- 182, 1993

16 女性健康

- Ref. 563** 临床研究：碧容健®的预防性治疗减少了尿路感染的发生和症状。
Cotellese R, Hu S, Cesarone MR, Belcaro G, Dugall M, Feragalli B, Hosoi M, Ippolito E, Corsi M, Luzzi R.
Pycnogenol® supplementation prevents inflammation and symptoms in recurrent, non-severe urinary infections.
Panminerva Med. 2021 Sep;63(3):343-348., 2021
- Ref. 556** 临床研究：碧容健®能减少尿路感染和间质性膀胱炎的发生，其疗效比蔓越莓好。
A. Ledda, S. Hu, M. R. Cesarone, G. Belcaro, M. Dugall, B. Feragalli, R. Cotellese, M. Hosoi, E. Ippolito, M. Corsi, and R. Luzzi
Pycnogenol® Supplementation Prevents Recurrent Urinary Tract Infections/Inflammation and Interstitial Cystitis.
Evidence-Based Complementary and Alternative Medicine, vol. 2021, p. 9976299, 2021
- Ref. 499** 基于碧容健®改善内皮功能的能力，碧容健®可减少依他普仑（抗抑郁药）引起的性功能障碍和男女的心率升高。
Smetanka A, Stara V, Farsky I, Tonhajzerova I, Ondrejka I
Pycnogenol® supplementation as an adjunct treatment for antidepressant-induced sexual dysfunction.
Physiol Int 106(1): 59-69, 2019
- Ref. 462** 综述：碧容健®可通过非激素途径改善妇女的健康状况。
Rohdewald PJ
Pycnogenol®, a Plant Extract for women's health.
Int J women's health Care (IJWHC) 2(1): 1-5, 2017
- Ref. 453** 临床研究：碧容健®能进一步缓解更年期症状，明显改善血糖和血脂，并能维持健康的血压、C反应蛋白和同型半胱氨酸值。
Luzzi R, Belcaro G, Hosoi M, Feragalli B, Cornelli U, Dugall M, Ledda A
Normalization of cardiovascular risk factors in peri-menopausal women with Pycnogenol®.
Minerva Ginecol 69: 29-34, 2017
- Ref. 449** 一项关于碧容健®通过改善内皮功能和抗氧化状态来缓解更年期症状的疗效的综述。
Rohdewald P
Relief from Menopausal Symptoms by Non-hormonal Treatment with Pycnogenol® (French Maritime Pine Bark Extract).
J Genit Syst & Disor 5: 4, 2016
- Ref. 430** 临床研究：本文评论了早期的碧容健®临床研究，确认了碧容健®增强皮肤弹性和增加水分的作用，强调了口服碧容健®使皮肤更加白皙的新成果，以及改善皮肤屏障功能的作用。
Grether-Beck S, Marini A, Jaenicke T, Krutmann J
French Maritime Pine Bark Extract (Pycnogenol®) Effects on Human Skin: Clinical and Molecular Evidence.
Skin Pharmacol Physiol 29: 13- 17, 2016
- Ref. 429** 临床研究：该研究描述了 31 名女性黑斑病患者补充碧容健®明显减少了皮肤色素沉着，但使用防晒霜除外。
Pinto CAS, Zuchi Delfes MF, Montanheiro dos Reis L, Garbers LE, Vieira da Rosa Passos PC, Skusa de Torre D
The use of Pycnogenol® in the treatment of melasma.
Surg Cosmet Dermatol 7: 218-222, 2015
- Ref. 423** 在临床前更年期研究中，碧容健®可以用来抑制骨质疏松症。
Huang G, Wu J, Wang S, Wei Y, Chen F, Chen J, Shi J, Xia J
Pycnogenol® treatment inhibits bone mineral density loss and trabecular deterioration in ovariectomized rats.
Int J Clin Exp Med 8(79): 10893- 10901, 2015
- Ref. 400** 临床研究：与低剂量口服避孕药结合治疗，碧容健®可有效减少疼痛和出血天数。
Maia H, Haddad C, Casoy J
The effect of Pycnogenol® on patients with dysmenorrhea using low-dose oral contraceptives.
Int J Women' s Health 6: 1019- 1022, 2014
- Ref. 392** 临床研究：使用碧容健®可改善产后静脉曲张的体征和症状以及静脉功能，加快静脉形状恢复。
Belcaro G, Dugall M, Luzzi R, Ippolito E, Cesarone MR
Postpartum Varicose Veins: Supplementation with Pycnogenol® or Elastic Compression - A 12-Month Follow-Up.
Int J Angiol DOI 10. 1055/s-0033- 1363784, 2014
- Ref. 389** 临床研究：口服碧容健®结合每日使用防晒霜可作为黄褐斑其他治疗的辅助手段。
Campos V
Oral administration of Pycnogenol® associated with sunscreen improve clinical symptoms of melasma.
J Am Acad Dermatol AB19 (P8471), 2014

- Ref. 387** 临床研究：对于子宫内膜异位患者，口服避孕药与碧容健®联合治疗可对其内膜正位具有积极地协同作用。
Maia H, Haddad C, Pinheiro N, Casoy J
The Effect of Oral Contraceptives Combined with Pycnogenol (Pinus Pinaster) On Aromatase and VEGF Expression in the Eutopic Endometrium of Endometriosis Patients.
Gynecol Obstet 4:2, 2014
- Ref. 383** 临床研究：妊娠期间，碧容健®可对痔疮的体征和症状表现出积极的作用。
Belcaro G, Gizzi G, Pellegrini M, Dugall M, Luzzi R, Corsi M, Ippolito E, Ricci A, Cesarone MR, Ledda A, Bottari A, Errichi BM
Pycnogenol® in postpartum symptomatic hemorrhoids.
Minerva Ginecologica 66(1): 77-84, 2014
- Ref. 378** 临床研究：碧容健®与口服避孕药一起服用可减轻子宫内膜异位引起的疼痛。
Maia H, Haddad C, Casoy J
Combining oral contraceptives with a natural nuclear factor-kappa B inhibitor for the treatment of endometriosis-related pain.
Int J Womens Health 6: 35-39, 2014
- Ref. 376** 临床研究：每日摄入60mg相对低剂量的碧容健®可显著改善围绝经期症状，并且研究显示此摄入量不会干扰性激素水平。
Kohama T, Negami M
Effect of low-dose French maritime pine bark extract on climacteric syndrome in 170 perimenopausal women.
J Reprod Med 58(1-2): 39-46, 2013
- Ref. 348** 临床研究：碧容健®可增加女性皮肤弹性和水合性，这与皮肤中合成新胶原蛋白和透明质酸的效果显著一致。
Marini A, Grether-Beck S, Jaenicke T, Weber M, Burki C, Formann P, Brenden H, Schönlauf F, Krutmann J
Pycnogenol® Effects on Skin Elasticity and Hydration Coincide with Increased Gene Expressions of Collagen Type I and Hyaluronic Acid Synthase in Women.
Skin Pharmacol Physiol 25: 86-92, 2012
- Ref. 336** 临床研究：碧容健®可显著减少与更年期过渡期有关的症状和体征。
Errichi S, Bottari A, Belcaro G, Cesarone MR, Hosoi M, Cornelli U, Dugall M, Ledda A, Feragalli B
Supplementation with Pycnogenol® improves signs and symptoms of menopausal transition.
Panminerva Med 53: 65-70, 2011
- Ref. 220** 临床研究：在一项由日本四家医院参与的多中心研究中，碧容健®可显著减轻痛经，减少患者所需的止痛药量。
Suzuki N, Uebaba K, Kohama T, Moniwa N, Kanayama N, Koike K
French Maritime Pine Bark Extract Significantly Lowers the Requirement for Analgesic Medication in Dysmenorrhea. A multicenter, randomized, double-blind, placebo-controlled study.
J Reprod Med 53: 338-346, 2008
- Ref. 219** 临床研究：碧容健®可减轻子宫内膜异位疼痛，其副作用少于激素治疗，且能够使一些女性怀孕。
Kohama T, Herai K, Inoue M
Effect of French Maritime Pine Bark Extract on endometriosis as compared with Leuprorelin acetate.
J Reprod Med 52: 703-708, 2007
- Ref. 187** 临床研究：在一项针对200位绝经女性的研究中，碧容健®能够改善大范围的更年期症状。
Yang H-M, Liao M-F, Zhu SY, Liao M-N, Rohdewald P
A randomized, double-blind, placebo-controlled trial on the effect of Pycnogenol® on the climacteric syndrome in peri-menopausal women.
Acta Obstet Gynecol Scand 86: 978-985, 2007
- Ref. 174** 临床研究：碧容健®可减轻妊娠晚期的下腰痛。
Kohama T, Inoue M
Pycnogenol® Alleviates Pain Associated with Pregnancy.
Phytother Res 20: 232-234, 2006
- Ref. 145** 临床研究：碧容健®在子宫内膜异位、痛经等妇科疾病治疗中，具有一定的镇痛作用。它能减少经期痉挛、腹痛和压痛。
Kohama T, Suzuki N, Ohno S, Inoue M
Analgesic efficacy of French maritime pine bark extract in dysmenorrhea. An open clinical trial.
J Reprod Med 49: 828-832, 2004
- Ref. 045** 临床研究：碧容健®有助于子宫内膜异位、痛经等妇科疾病的治疗。它能减少经期痉挛、腹痛和压痛。
Kohama T, Suzuki N
The treatment of gynaecological disorders with Pycnogenol®.
Eur Bull Drug Res 7: 30-32, 1999

II. 作用机制

17 抗炎作用

- Ref. 563** 临床研究：碧容健®的预防性治疗减少了尿路感染的发生和症状。
Cotellesse R, Hu S, Cesarone MR, Belcaro G, Dugall M, Feragalli B, Hosoi M, Ippolito E, Corsi M, Luzzi R.
Pycnogenol® supplementation prevents inflammation and symptoms in recurrent, non-severe urinary infections.
Panminerva Med. 2021 Sep;63(3):343-348., 2021
- Ref. 556** 临床研究：碧容健®能减少尿路感染和间质性膀胱炎的发生，其疗效比蔓越莓好。
A. Ledda, S. Hu, M. R. Cesarone, G. Belcaro, M. Dugall, B. Feragalli, R. Cotellesse, M. Hosoi, E. Ippolito, M. Corsi, and R. Luzzi
Pycnogenol® Supplementation Prevents Recurrent Urinary Tract Infections/Inflammation and Interstitial Cystitis.
Evidence-Based Complementary and Alternative Medicine, vol. 2021, p. 9976299, 2021
- Ref. 553** 临床研究：碧容健®能显著改善与新冠疫情后有关的一些迹象和症状，改善心血管风险因素。
Belcaro G, Cornelli U, Cesarone MR, Scipione C, Scipione V, Hu S, Feragalli B, Corsi M, Cox D, Cotellesse R, Hosoi M, Burki C
Preventive effects of Pycnogenol® on cardiovascular risk factors (including endothelial function) and microcirculation in subjects recovering from coronavirus disease 2019 (COVID- 19).
Minerva Med. 113(2):300-8, 2022
- Ref. 498** 碧容健®的胃肠道代谢作用显示其具有免疫调节和抗炎特性。
Verlaet A, van der Bolt N, Meijer B, et al
Toll-Like Receptor-Dependent Immunomodulatory Activity of Pycnogenol®.
Nutrients 11: 214; doi:10.3390/nu11020214, 2019
- Ref. 487** 临床研究：发生特发性、良性和短暂性颈痛时，使用碧容健®贴片可安全有效地控制疼痛、改善症状。
Belcaro G, Dugall M, Feragalli B, et al.
Prevention of symptoms associated to neck pain with a Pycnogenol® patch.
J运动 Med Physical Fitness, Pharma standard (PS) supplements. Papers from the London sessions January 2018. Eds. Belcaro G, Dugall M, Ledda A., ISBN; 978-88-7711-940, 2018
- Ref. 485** 临床研究：给处于缓解期的干燥综合征患者补充碧容健®可有效控制炎症、减轻症状。
Luzzi R, Belcaro G, Hu S, et al.
Efficacy of Pycnogenol® supplementation in remission phases of Sjögren syndrome.
Min Cardioangiol 66(5): 543-546, 2018
- Ref. 484** 临床研究：补充碧容健®对白塞综合征进行管理是有益的。
Hu S, Belcaro G, Ledda A, et al.
Behçet's Syndrome: Effects of Pycnogenol® addition during regression phases.
Minerva Cardioangiologica 66(4): 386-390, 2018
- Ref. 451** 临床研究：碧容健®可以局部涂抹，以减轻肌肉酸痛。
Luzzi R, Belcaro G, Feragalli B, Dugall M
Moderate, diffuse, somatic muscular pain: effects of supplementation with a Pycnogenol® patch.
Minerva Ortopedica e Traumatologica 67(4): 170- 176, 2016
- Ref. 447** 这项临床前研究表明，碧容健®可通过 Erk-sp1 途径抑制 CSE 刺激的 NCI-H292 细胞和 COPD 小鼠模型中炎症反应的减少。我们认为碧容健®可能有改善慢性阻塞性肺疾病症状的潜力。
Shin N-R, Ryu H-W, Ko J-W, Park J-W, Kwon O-K, Oh S-R, Kim J-C, Shin I-S, Ahn K-S
A standardized bark extract of Pinus pinaster Aiton (Pycnogenol®) attenuated chronic obstructive pulmonary disease via Erk-sp 1 signaling pathway.
J Ethnopharmacol 194: 412-420, 2016
- Ref. 427** 临床研究：分析血液和滑液样品中的碧容健®成分和代谢物，以阐明人体中的组织分布。该研究确定了法国海滨松树皮提取物的哪些化合物被吸收，以及它们如何在体内分布的。
Högger P
PL4: Pharmacokinetics and cellular effects of a French maritime pine bark extract in humans.
Nutrition and Medicine 3(S1): 20, 2015

- Ref. 424** 临床前研究中碧容健®抵抗脑小胶质细胞的炎症情况。
Fan B, Dun S-H, Gu J-Q, Guo Y, Ikuyama S
Pycnogenol attenuates the release of proinflammatory cytokines and expression of perilipin 2 in lipopolysaccharides-stimulated microglia in part via inhibition of NF- κ B and AP-1 activation.
PLOS ONE 10(9): e0137837.doi:10.1371/journal, 2015
- Ref. 418** 碧容健®可帮助避免术后腹膜纤维粘连的形成。
Sahbaz A, Aynioglou O, Isik H, Gun BD, Cengil O, Erol O
Pycnogenol prevents peritoneal adhesions.
Arch Gynecol Obstet. 292: 1279- 1284, 2015
- Ref. 408** 临床研究：碧容健®可改善内皮功能。这项公开注册研究的结果表明，对于边缘型高血压、高血糖和高脂血症受试者来说，很可能有重要的预防性作用。
Hu S, Belcaro G, Cornelli U, Luzzi R, Cesarone MR, Dugall M, Feragalli B, Errichi B, Ippolito E, Grossi MG, Hosoi M, Gizzi G, Trignani M
Effects of Pycnogenol® on endothelial dysfunction in borderline hypertensive, hyperlipidemic, and hyperglycemic individuals: the borderline study.
Int Angiol 34(1): 43-52, 2015
- Ref. 396** 临床研究：碧容健®可减少普通感冒的症状，缩短其病程，也可预防一些并发症。
Belcaro G, Shu H, Luzzi R, Dugall M, Ippolito E, Cesarone MR, Corsi M, Feragalli B
Improvement of common cold with Pycnogenol®: a Winter registry study.
Panminvera Med 56: 301-308, 2014
- Ref. 387** 临床研究：对于子宫内位异位患者，口服避孕药与碧容健®联合治疗可对其内膜正位具有积极地协同作用。
Maia H, Haddad C, Pinheiro N, Casoy J
The Effect of Oral Contraceptives Combined With Pycnogenol (Pinus Pinaster) On Aromatase and VEGF Expression in the Eutopic Endometrium of Endometriosis Patients.
Gynecol Obstet 4:2, 2014
- Ref. 334** 药理学实验中，碧容健®被证实能够保护糖尿病性肾病模型的肾细胞免受葡萄糖之损害。
Kim YJ, Kim YA, Yokozawa T
Pycnogenol® modulates apoptosis by suppressing oxidative stress and inflammation in high glucose-treated renal tubular cells.
Food Chem Toxicol 49: 2196-2201, 2011
- Ref. 283** 临床研究：碧容健®可显著减少慢性肾疾病高血压患者体内的炎症性标记物C反应蛋白。
Cesarone MR, Belcaro G, Stuard S, Schönlaue F, Di Renzo A, Grossi MG, Dugall M, Cornelli U, Cacchio M, Gizzi G, Pellegrini L.
Kidney Flow and Function in Hypertension: Protective Effects of Pycnogenol® in Hypertensive Participants - A Controlled Study.
J Cardiovasc Pharmacol Ther 15: 41-46, 2010
- Ref. 272** 临床研究：针对人体炎症过程的药理学调查显示，碧容健®能够抑制COX-2和5-LOX酶的产生。
Canali R, Comitato R, Schönlaue F, Virgili F
The anti-inflammatory pharmacology of Pycnogenol® in humans involves COX-2 and 5-LOX mRNA expression in leukocytes.
Int Immunopharmacol 9: 1145- 1149, 2009
- Ref. 250** 临床研究：碧容健®可显著减少骨关节炎患者体内的炎症性标记物C反应蛋白，这说明它具有一定的抗炎性功效。
Belcaro G, Cesarone MR, Errichi S, Zulli C, Errichi BM, Vinciguerra G, Ledda A, Di Renzo A, Stuard S, Dugall M, Pellegrini L, Gizzi G, Ippolito E, Ricci A, Cacchio M, Cipollone G, Ruffini I, Fano F, Hosoi M, Rohdewald P
Variations in C-reactive protein, plasma free radicals and fibrinogen values in patients with osteoarthritis treated with Pycnogenol®.
Redox Rep 13: 271-276, 2008
- Ref. 208** 碧容健®体外研究提供了其化学预防方面的证据。
BuzZard AR, Lau BHS
Pycnogenol® reduces Talc-induced Neoplastic Transformation in Human Ovarian Cell Cultures.
Phytother Res 21: 579-586, 2007
- Ref. 185** 临床研究：碧容健®可抑制发炎人皮肤中分解胶原蛋白与弹性蛋白相关的酶的释放。
Grimm T, Chovanova Z, Muchova J, Sumegova K, Liptakova A, Durackova Z, Högger P
Inhibition of NF-kappaB activation and MMP-9 secretion by plasma of human volunteers after ingestion of maritime pine bark extract (Pycnogenol®).
J Inflamm 3: 1-6, 2006

- Ref. 183** 碧容健®可保护肠黏膜免受放疗之害：大鼠的组织形态学证据。
Ramos FM, Schönlau F, Novaes PD, Manzi FR, Bóscolo FN, Almeida SM
Pycnogenol® protects against ionizing radiation as shown in the intestinal mucosa of rats exposed to X-rays.
Phytother Res 20: 676-679, 2006
- Ref. 176** 碧容健®可非选择性抑制炎症期间疼痛相关的酶活性。
Schäfer A, Chovanová Z, Muchová J, Sumegová K, Liptáková A, Duracková Z, Högger P
Inhibition of COX- 1 and COX-2 activity by plasma of human volunteers after ingestion of French maritime pine bark extract (Pycnogenol®).
Biomed Pharmacother 60: 5-9, 2005
- Ref. 154** 碧容健®能够显著消解实验动物模型结肠的炎症损害。
Mochizuki M, Hasegawa N
Therapeutic efficacy of Pycnogenol® in experimental inflammatory bowel diseases.
Phytother Res 18: 1027- 1028, 2004
- Ref. 107** 碧容健®可高效抑制结缔组织破坏相关的基质金属蛋白酶以及其在人血液中的代谢物。
Grimm T, Schäfer A, Högger P
Antioxidant activity and inhibition of matrix metalloproteinases by metabolites of maritime pine bark extract (Pycnogenol®).
J Free Radic Biol Med 36: 811-822, 2004
- Ref. 074** 临床研究：碧容健®可呈剂量依赖性抑制紫外光诱导的人体皮肤红斑，这说明它具有有效地抗光老化作用。
Saliou C, Rimbach G, Moini H, McLaughlin L, Hosseini S, Lee J, Watson RR, Packer L
Solar ultraviolet-induced erythema in human skin and nuclear factor-kappa-B-dependent gene expression in keratinocytes are modulated by French maritime pine bark extract.
J Free Radic Biol Med 30: 154- 160, 2001
- Ref. 068** 碧容健®可抑制组织白细胞募集相关的数个机制，进而导致抗炎活性产生。
Peng Q, Wei Z, Lau BHS
Pycnogenol® inhibits tumor necrosis factor- α -induced nuclear factor kappa B activation and adhesion molecule expression in human vascular endothelial cells.
Cell Mol Life Sci 57: 834-841, 2000
- Ref. 019** 碧容健®在两个不同模型中显示出抗炎症和抗水肿的作用。外敷碧容健®凝胶可保护皮肤免受紫外辐射之害。
Blazso G, Gabor M, Rohdewald P
Anti-inflammatory activities of procyanidin containing extracts from Pinus pinaster Ait. after oral and cutaneous application.
Pharmazie 52: 380-382, 1997
- Ref. 010** 碧容健®可清除体外的超氧自由基，抑制体内水肿。抗炎性与自由基清除活动密切相关。
Blazso G, Gabor M, Sibbel R, Rohdewald P
Anti-inflammatory and superoxide radical scavenging activities of a procyanidins containing extract from the bark of Pinus pinaster sol. and its fractions.
Pharm Parmacol Lett 3: 217-220, 1994

18 抗氧化活性

- Ref. 560** 临床研究：在一定剂量下，碧容健®可降低高氧化应激受试者的氧化应激，即使在低剂量时也有效。
Belcaro G, Cesarone MR, Dugall M, Hu S, Peterzan P, Feragalli B, Hosoi M, Cotellese R.
Effects of different doses of Pycnogenol® on plasma oxidative stress: a pilot, supplement study.
Edizioni Minerva Medica, 180(6):289-94, 2021
- Ref. 559** 在一定剂量下，碧容健®显示出很强的抗氧化特性，在不同的pH值下仅有轻微变化。
Cizmarova, B.; Birkova, A.; Hubkova, B.; Bolerazska, B.
Pycnogenol - extract from French maritime pine bark (Pinus pinaster), as an effective antioxidant against superoxide radical.
Functional Food Science 1, 14-22, doi:10.31989/ffs.v1i8.816, 2021
- Ref. 486** 临床研究：对于采用激素替代疗法治疗甲状腺功能减退的患者来说，碧容健®是用来减轻左旋甲状腺素相关副作用的有用工具。
Belcaro G, Cornelli U, Dugall M, et al.
Pycnogenol® prevents oxidative stress and side effects in patients with hypothyroidism during levothyroxine treatment.
Min Endocrinol, 2018, Pharma standard (PS) supplements. Papers from the London sessions January 2018. Eds. Belcaro G, Dugall M, Ledda A., ISBN; 978-88-7711-940

- Ref. 431** 临床研究：补充碧容健®12个月可提高55至70岁正常受试者的认知能力，降低氧化应激水平。
Belcaro G, Dugall M, Ippolito E, Hu S, Saggino A, Feragalli B
The COFU3 Study: Improvement in cognitive function, attention, mental performance with Pycnogenol® in healthy subjects (55-70) with high oxidative stress.
J Neurosurg Sci 59: 437-446, 2015
- Ref. 430** 临床研究：本文评论了早期的碧容健®临床研究，确认了碧容健®增强皮肤弹性和增加水分的作用，强调了口服碧容健®使皮肤更加白皙的新成果，以及改善皮肤屏障功能的作用。
Grether-Beck S, Marini A, Jaenicke T, Krutmann J
French Maritime Pine Bark Extract (Pycnogenol®) Effects on Human Skin: Clinical and Molecular Evidence.
Skin Pharmacol Physiol 29: 13- 17, 2016
- Ref. 406** 碧容健®对于急性肝损伤具有一定的防护作用。
Ko J-W, Lee I-C, Park S-H, Moon C, Kang S-S, Kim S-H, Kim J-C
Protective effects of pine bark extract against cisplatin-induced hepatotoxicity and oxidative stress in rats.
Lab Anim Res 30(4): 174- 180, 2014
- Ref. 405** 300mg的单剂量碧容健®可诱使人纤维肉瘤细胞死亡。
Harati K, Slodnik P, Chromik AM, et al
Pro-apoptotic effects of Pycnogenol on HT1080 human fibrosarcoma cells.
Int J Oncol DOI 10.3892/ijo.2015.2854, 2014
- Ref. 404** 碧容健®是粘液表皮样癌治疗的最佳备选药物。
Yang I-H, Shin J-A, Cho S-D
Pycnogenol® induces nuclear translocation of apoptosis-inducing factor and caspase-independent apoptosis in MC-3 human mucoepidermoid carcinoma cell line.
J Cancer Prevention 19: 265-272, 2014
- Ref. 401** 临床研究：碧容健®摄入可降低血糖水平，增强血浆的抗氧化能力。
Muchova J, Orszaghova Z, Zitnanova I, Trebaticky B, Breza J, Durackova Z
The effect of natural polyphenols on the oxidative stress markers in patients with diabetic nephropathy.
Free Rad Biol Med 72: 42, 2014
- Ref. 397** 碧容健®可改善实验性糖尿病大鼠的心脏功能。
Kralova E, Jankyova S, Mucaji P, Gresakova E, Stankovicova T
Pycnogenol and its fractions influence the function of isolated heart in rats with experimental diabetes mellitus.
J Pathology Research & Practice, 211: 156- 161; 2015
- Ref. 396** 临床研究：碧容健®可减少普通感冒的症状，缩短其病程，也可预防一些并发症。
Belcaro G, Shu H, Luzzi R, Dugall M, Ippolito E, Cesarone MR, Corsi M, Feragalli B
Improvement of common cold with Pycnogenol®: a Winter registry study.
Panminvera Med 56: 301-308, 2014
- Ref. 395** 补充碧容健®可以恢复紊乱的免疫功能，预防早逝。
Lee J, Nam D-E, Kim O-K, Lee M-Y
Pycnogenol® attenuates the symptoms of immune dysfunction through restoring a cellular antioxidant status in low micronutrient-induced immune deficient mice.
Nutr Res Pract 8(5): 533-538, 2014
- Ref. 391** 碧容健®通过减少大鼠的DNA损伤、增强抗氧化及DNA修复能力，在预防败血症诱发的氧化损伤中发挥着一定作用。
Taner G, Aydin S, Bacanh M, Sarigöl Z, Sahin T, Ba,saran AA and Ba,saran N
Modulating Effects of Pycnogenol® on Oxidative Stress and DNA Damage Induced by Sepsis in Rats.
Phytother Res 28(11): 1692-700, 2014
- Ref. 390** 碧容健®的抗氧化活性对治疗类似抑郁症行为有一定的积极作用。
Mei L, Mochizuki M, Hasegawa N
Pycnogenol® Ameliorates Depression-Like Behavior in Repeated Corticosterone-Induced Depression Mice Model.
BioMed Res Int Article – <http://dx.doi.org/10.1155/2014/942927>, 2014
- Ref. 388** 临床研究：碧容健®补充可改善牛皮癣最常见的临床表现。
Belcaro G, Luzzi R, Hu S, Cesarone MR, Dugall M, Ippolito E, Corsi M, Caporale S
Improvement in signs and symptoms in psoriasis patients with Pycnogenol® supplementation.
Panminerva Med 56: 41-48, 2014

- Ref. 385** 碧容健®有益于新陈代谢及心血管健康。
Aribal-Ayral P, Özenci-Kavas G, Elhan AH
Pycnogenol® supplementation and its beneficial effects in healthy rats.
Saudi Med J 35(2): 195- 197, 2014
- Ref. 367** 临床研究：155位志愿者每日摄入50mg碧容健®可显著中和自由基，抑制氧化应激。
Belcaro G, Hu S, Cesarone MR, Dugall M
A controlled study shows daily intake of 50mg Pycnogenol® significantly lowers plasma reactive oxygen metabolites in 155 healthy smokers.
Minerva Med 104(4): 439-446, 2013
- Ref. 349** 临床研究：据血液F2-异前列烷水平降低判断，碧容健®可显著减少心脏病患者的氧化应激反应。
Enseleit F, Sudano I, Périat D, Winnik S, Wolfrum M, Flammer AJ, Fröhlich GM, Kaiser P, Hirt A, Haile SR, Krasniqi N, Matter CM, Uhlentuch K, Högger P, Neidhart M, Lüscher TF, Ruschitzka F, Noll G
Effects of Pycnogenol® on endothelial function in patients with stable coronary artery disease: a double-blind, randomized, placebo-controlled, cross-over study.
Eur Heart J 33(13): 1589-97, 2012
- Ref. 334** 药理学实验中，碧容健®被证实能够保护糖尿病性肾病模型的肾细胞免受葡萄糖之损害。
Kim YJ, Kim YA, Yokozawa T
Pycnogenol® modulates apoptosis by suppressing oxidative stress and inflammation in high glucose-treated renal tubular cells.
Food Chem Toxicol 49: 2196-2201, 2011
- Ref. 336** 临床研究：碧容健®可显著减少绝经期女性的氧化应激反应。
Errichi S, Bottari A, Belcaro G, Cesarone MR, Hosoi M, Cornelli U, Dugall M, Ledda A, Feragalli B
Supplementation with Pycnogenol® improves signs and symptoms of menopausal transition.
Panminerva Med 53: 65-70, 2011
- Ref. 241** 临床研究：碧容健®能够显著改善101位记忆缺失老年人的记忆力，保护他们的神经元细胞膜的多不饱和脂肪酸免受氧化损伤。
Ryan J, Croft K, Wesnes K, Stough C
An examination of the effects of the antioxidant Pycnogenol® on cognitive performance, serum lipid profile, endocrinological and oxidative stress biomarkers in an elderly population.
J Psychopharmacol 22: 553-562, 2008
- Ref. 227** 碧容健®和叶黄素协同作用可增强抗氧化作用，预防脂质过氧化。
Nakanishi-Ueda T, Kamegawa M, Ishigaki S, Tsukahara M, Yano S, Wada K, Yasuhara H
Inhibitory Effect of Lutein and Pycnogenol® on Lipid Peroxidation in Porcine Retinal Homogenate.
J Clin Biochem Nutr 38: 204-210, 2006
- Ref. 218** 碧容健®可减少面临化学毒素挑战的大鼠肝脏内的氧化应激反应。
Ahn T-H, Yang Y-S, Lee J-C, Moon C-J, Kim S-H, Jun W, Park S-C, Kim J-C
Ameliorative Effects of Pycnogenol® on Carbon Tetrachloride-Induced Hepatic Oxidative Damage in Rats.
Phytother Res 21: 1015- 1019, 2007
- Ref. 215** 碧容健®可保护脂质体免于脂质过氧化，与维生素C和维生素E起协同保护作用。
Sivonova M, Zitnanova I, Horakova L, Strosova M, Muchova J, Balgavy P, Dobrota D, Durackova Z
The Combined Effect of Pycnogenol® with Ascorbic Acid and Trolox on the Oxidation of Lipids and Proteins.
Gen Physiol Biophys 25: 379-396, 2006
- Ref. 205** 临床研究：碧容健®可改善注意力缺陷多动障碍症（ADHD）儿童的抗氧化能力。
Dvorakova M, Sivonova M, Trebaticka J, Skodacek I, Waczulikova I, Muchova J, Durackova Z
The effect of polyphenolic extract from pine bark, Pycnogenol® on the level of glutathione in children suffering from attention deficit hyperactivity disorder (ADHD).
Redox Rep 11: 163- 172, 2006
- Ref. 204** 临床研究：在一项双盲、安慰剂对照研究中，碧容健®可保护注意力缺陷多动障碍症（ADHD）儿童的DNA不被氧化。
Chovanova Z, Muchova J, Sivonova M, Dvorakova M, Zitnanova I, Waczulikova I, Trebaticka J, Skodacek I, Durackova Z
Effect of polyphenolic extract, Pycnogenol®, on the level of 8-oxoguanine in children suffering from attention deficit/ hyperactivity disorder.
Free Radic Res 40: 1003- 1010, 2006

- Ref. 203** 碧容健®能够防止氧化损伤蛋白质的积累，可降低发生阿尔茨海默病、帕金森病和亨廷顿病的风险。
Voss P, Horakova L, Jakstadt M, Kiekebusch D, Grune T
Ferritin oxidation and proteasomal degradation: Protection by antioxidants.
Free Radic Res 40: 673-683, 2006
- Ref. 187** 临床研究：一项针对155名更年期妇女的双盲、安慰剂对照研究显示，碧容健®显著提高了总体抗氧化能力。
Yang HM, Liao MF, Zhu SY, Liao MN, Rohdewald P
A randomised, double-blind, placebo-controlled trial on the effect of Pycnogenol® on the climacteric syndrome in peri-menopausal women.
Acta Obstet Gynecol Scand 86: 978-985, 2007
- Ref. 183** 碧容健®可保护肠黏膜免受放疗引起的损害：大鼠的组织形态证据。
Ramos FM, Schönlau F, Novaes PD, Manzi FR, Bóscolo FN, Almeida SM
Pycnogenol® protects against ionizing radiation as shown in the intestinal mucosa of rats exposed to X-rays.
Phytother Res 20: 676-679, 2006
- Ref. 140** 碧容健®可保护人类红血细胞膜免受氧化损伤。
Sivonová M, Waczulíková I, Kilančzyk E, Hrnčiarová M, Bryszewska M, Klajnert B, Duracková Z
The effect of Pycnogenol® on the erythrocyte membrane fluidity.
Gen Physiol Biophys 23: 39-51, 2004
- Ref. 105** 碧容健®可降低糖尿病大鼠的血糖、增强细胞内抗氧化防御机制。
Maritim A, Dene BA, Sanders RA, Watkins JB
Effect of Pycnogenol® treatment on oxidative stress in streptozotocin-induced diabetic rats.
J Biochem Mol Toxicol 17: 193-199, 2003
- Ref. 099** 碧容健®与其他抗氧化剂的组合物作为膳食补充剂可延长小鼠的存活寿命。这些结果表明，碧容健®对神经退行性疾病有着积极的作用。
Veurink G, Liu D, Taddei K, Perry G, Smith MA, Robertson TA, Hone E, Groth DM, Atwood CS, Martins RN
Reduction of inclusion body pathology in ApoE-deficient mice fed a combination of antioxidants.
J Free Radic Biol Med 34: 1070-1077, 2003
- Ref. 098** 果蝇寿命延长证明碧容健®可延缓衰老过程。
Shuguang L, Xinwen Z, Sihong X, Gulati OP
Role of Pycnogenol® in aging by increasing the Drosophila's life-span.
Eur Bull Drug Res 11: 39-45, 2003
- Ref. 093** 临床研究：在一项双盲、安慰剂对照研究中，碧容健®可显著增加血脂异常男性的血浆RAP值。
Durackova Z, Trebaticky B, Novotny V, Zitnanova I, Breza J
Lipid metabolism and erectile function improvement by Pycnogenol®, extract from the bark of Pinus pinaster in patients suffering from erectile dysfunction - a pilot study.
Nutr Res 23: 1189-1198, 2003
- Ref. 090** 临床研究：人志愿者口服碧容健®后，其血浆氧自由基吸收能力（ORAC）增强。
Devaraj S, Vega-López S, Kaul N, Schönlau F, Rohdewald P, Jialal I
Supplementation with a pine bark extract rich in polyphenols increases plasma antioxidant capacity and alters plasma lipoprotein profile.
Lipids 37: 931-934, 2002
- Ref. 086** 碧容健®结合乳清使用可增强血浆的抗氧化能力。
Janisch K, Hippeli S, Domisch K, Kern S, Elstner EF
Determination of the antioxidative potential of human plasma after supplementation with Pycnogenol® and whey.
Food Res Intern 35: 257-266, 2002
- Ref. 083** 阿尔茨海默病患者大脑内的β-淀粉样蛋白会诱发神经元细胞凋亡（细胞早死亡）。体外实验显示，碧容健®能够抑制神经元细胞的死亡。
Peng QL, Buz'Zard AR, Lau BHS
Pycnogenol® protects neurons from amyloid β peptide-induced apoptosis.
Brain Res Mol Brain Res 104: 55-65, 2002
- Ref. 072** 碧容健®选择性增强细胞内抗氧化酶的活性。
Bayeta E, Lau BHS
Pycnogenol® inhibits generation of inflammatory mediators in macrophages.
Nutr Res 20: 249-259, 2000

- Ref. 070** 碧容健®凭借高含量的前花青素，其抗氧化功效高于其他也含有相对较高常规黄酮素的植物源抗氧化剂。这一事实可从结构和功能上加以解释。
Bors W, Michel C, Stettmaier K
Electron paramagnetic resonance studies of radical species of proanthocyanidins and gallate esters.
Arch Biochem Biophys 374: 347-355, 2000
- Ref. 069** 碧容健®会显著减少β-淀粉样蛋白引起的血管损伤。β-淀粉样变性是阿尔茨海默病（AD）的神经病理学标志之一，这表明碧容健®具有能够降低阿尔茨海默病风险的作用。
Liu F, Lau BHS, Peng Q, Shah V
Pycnogenol® protects vascular endothelial cells from β-amyloid-induced injury.
Biol Pharm Bull 23: 735-737, 2000
- Ref. 063** 碧容健®显示出抗活性氧族的自由基清除活性。它能够抑制促炎介质的产生，因而确认了碧容健®的抗炎性和免疫调制特性。
Cho K-J, Yun C-H, Yoon D-Y, Cho Y-S, Rimbach G, Packer L, Chung A-S
Effect of bioflavonoids extracted from the bark of Pinus maritime on proinflammatory cytokine interleukin-1 production in lipopolysaccharide-stimulated raw 264.7.
Toxicol Appl Pharmacol 168: 64-71, 2000
- Ref. 062** 碧容健®阻滞细胞蛋白氧化修饰的功效比其他抗氧化剂强。
Kim J, Chehade J, Pinnas JL, Mooradian AD
Effect of select antioxidants on malondialdehyde modification of proteins.
Nutrition 16: 1079- 1081, 2000
- Ref. 052** 碧容健®可改善衰老过程常见症状中的学习记忆障碍和记忆缺失。
Liu F, Zhang Y, Lau BHS
Pycnogenol® improves learning impairment and memory deficit in senescence-accelerated mice.
J Anti Aging Med 2: 349-355, 1999
- Ref. 051** 在一项比较研究中，碧容健®表现出比维生素C和E、硫辛酸、辅酶Q10和葡萄籽更高校的抗氧化活性。结合碧容健®可增强辅酶Q10等其他抗氧化剂的抗氧化作用。
Chida M, Suzuki K, Nakanishi-Ueda T, Ueda T, Yasuhara H, Koide R, Armstrong D
In vitro testing of antioxidants and biochemical endpoints in bovine retinal tissue.
Ophthalmic Res 31: 407-415, 1999
- Ref. 033** 鉴于相应自由基的相对稳定性和维生素C和E等同系物诱导的再生性，碧容健®是一种高效的抗氧化剂。
Guo Q, Zhao B, Packer L
Electron spin resonance study of free radicals formed from a procyanidin-rich pine (Pinus maritime) bark extract, Pycnogenol®.
J Free Radic Biol Med 27: 1308- 1312, 1999
- Ref. 030** 碧容健®可预防维生素C被氧化和被循环氧化的功效高于其他黄酮类药物。
Cossins E, Lee R, Packer L
ESR studies of vitamin C regeneration, order of reactivity of natural source phytochemical preparations.
Biochem Mol Biol Int 45: 583-597, 1998
- Ref. 029** 碧容健®可减慢因免疫细胞和血液细胞生成系统活动下降而引起的衰老，使它们恢复正常功能。
Liu FJ, Zhang YX, Lau BHS
Pycnogenol® enhances immune and haemopoietic functions in senescence-accelerated mice.
Cell Mol Life Sci 54: 1168- 1172, 1998
- Ref. 026** 碧容健®能够保护内皮细胞中的α-生育酚。
Virgili F, Kim D, Packer L
Procyanidins extracted from pine bark protect α-tocopherol in ECV 304 endothelial cells challenged by activated RAW 264.7 macrophages: role of nitric oxide and peroxynitrite.
FEBS Lett 431: 315-318, 1998
- Ref. 025** 碧容健®可抑制氧化应激作用，将羟自由基诱发的DNA损害降至最低。
Nelson AB, Lau BHS, Ide N, Rong Y
Pycnogenol® inhibits macrophage oxidative burst, lipoprotein oxidation and hydroxyl radical-induced DNA damage.
Drug Dev Ind Pharm 24: 139- 144, 1998
- Ref. 022** 碧容健®除自由基清除特性外，碧容健®还能调制激活炎性细胞中一氧化氮自由基的产生。
Virgili F, Kobuchi H, Packer L
Procyanidins extracted from Pinus maritime (Pycnogenol®): scavengers of free radical species and modulators of nitrogen monoxide metabolism in activated murine raw 264.7 macrophages.
J Free Radic Biol Med 24: 1120- 1129, 1998

- Ref. 021** 研究显示, 在其他试验的提取物中, 碧容健®是最强的羟自由基和超氧自由基清除剂。碧容健®还具有热稳定性。
Noda Y, Anzai K, Mori A, Kohno M, Shinmei M, Packer L
Hydroxyl and superoxide anion radical scavenging activities of natural source antioxidants using the computerized JES-FR30 ESR spectrometer system.
Biochem Mol Biol Int 42: 35-44, 1997
- Ref. 020** 碧容健®可促进细胞内膜动脉中抗氧化酶的合成, 使其量加倍。
Wei ZH, Peng QL, Lau BHS
Pycnogenol® enhances endothelial cell antioxidant defenses.
Redox Rep 3: 219-224, 1997
- Ref. 014** 碧容健®可保护内皮细胞壁免受自由基之害。内皮细胞损伤是动脉粥样硬化的主要原因之一。
Rong Y, Li L, Shah V, Lau BHS
Pycnogenol® protects vascular endothelial cells from t-butyl hydroperoxide induced oxidant injury.
Biotechnol Ther 5: 117- 126, 1995
- Ref. 010** 碧容健®可清除体外的超氧自由基, 抑制体内水肿。抗炎性与自由基清除活动密切相关。
Blazso G, Gabor M, Sibbel R, Rohdewald P
Anti-inflammatory and superoxide radical scavenging activities of a procyanidins containing extract from the bark of Pinus pinaster sol. and its fractions.
Pharm Parmacol Lett 3: 217-220, 1994
- Ref. 008** 碧容健®可呈剂量依赖性保护皮肤免受紫外辐射诱导的氧化应激损伤 (脂质过氧化和细胞毒性)。
Guochang Z
Ultraviolet radiation-induced oxidative stress in cultured human skin fibroblasts and antioxidant protection.
Bio Res Rep Univ Jyväskylä 33: 1-86, 1993
- Ref. 007** 碧容健®是极好的酶促羟自由基和单态氧自由基 (最危险的两种自由基) 清除剂。
Elstner EF, Kleber E
Radical scavenger properties of leucocyanidine.
In: Das N.P., ed. Flavonoids in Biology & Medicine III: Current issues in Flavonoid Research: National University of Singapore Press: 227-235, 1990

19 内皮功能

- Ref. 553** 临床研究: 碧容健®能显著改善与新冠疫情后有关的一些迹象和症状, 改善心血管风险因素。
Belcaro G, Cornelli U, Cesarone MR, Scipione C, Scipione V, Hu S, Feragalli B, Corsi M, Cox D, Cotellese R, Hosoi M, Burki C
Preventive effects of Pycnogenol® on cardiovascular risk factors (including endothelial function) and microcirculation in subjects recovering from coronavirus disease 2019 (COVID- 19).
Minerva Med. 113(2):300-8, 2022
- Ref. 499** 基于碧容健®改善内皮功能的能力, 碧容健®可减少依他普仑 (抗抑郁药) 引起的性功能障碍和男女的心率升高。
Smetanka A, Stara V, Farsky I, Tonhajzerova I, Ondrejka I
Pycnogenol® supplementation as an adjunct treatment for antidepressant-induced sexual dysfunction.
Physiol Int 106(1): 59-69, 2019
- Ref. 449** 一项关于碧容健®通过改善内皮功能和抗氧化状态来缓解更年期症状的疗效的综述。
Rohdewald P
Relief from Menopausal Symptoms by Non-hormonal Treatment with Pycnogenol® (French Maritime Pine Bark Extract).
J Genit Syst & Disor 5:4, 2016
- Ref. 408** 临床研究: 碧容健®可改善内皮功能。这项公开注册研究的结果表明, 对于边缘型高血压、高血糖和高脂血症受试者来说, 很可能有重要的预防性作用。
Hu S, Belcaro G, Cornelli U, Luzzi R, Cesarone MR, Dugall M, Feragalli B, Errichi B, Ippolito E, Grossi MG, Hosoi M, Gizzi G, Trignani M
Effects of Pycnogenol® on endothelial dysfunction in borderline hypertensive, hyperlipidemic, and hyperglycemic individuals: the borderline study.
Int Angiol 34(1): 43-52, 2015

- Ref. 372** 人服用碧容健®后的代谢物会被红细胞、白细胞、内皮细胞和神经细胞经GLUT1转运体内化。这种组织-特异性积累代表了碧容健®主要活动模式的常见共同特性，它与炎症控制、内皮功能和认知效益相关。
Kurlbaum M, Mülek M, Högger P
Facilitated Uptake of a Bioactive Metabolite of Maritime Pine Bark Extract (Pycnogenol®) into Human Erythrocytes.
PLOS ONE 8(4): 1- 10, 2013
- Ref. 371** 碧容健®作为天然混合物，与提取物成分相比，能更好地调控内皮功能障碍。
Jankyova S, Hlavackova L, Kralova E, Slazneva J, Drobna V, Zuzik P, Drafi F, Mucaji P, Racanska E
The Evaluation of Efficacy of Pycnogenol® Fractions on Endothelial Dysfunction.
Acta Fac Pharm Univ Comen LX(1): 7- 14, 2013
- Ref. 353** 人摄入碧容健®后形成的代谢物可积累于免疫细胞（白细胞）内，调制炎症过程。
Uhlenhut K, Högger P
Facilitated cellular uptake and suppression of inducible nitric oxide synthase by a metabolite of maritime pine bark extract (Pycnogenol®).
Free Radic Biol Med, 53: 305-313, 2012
- Ref. 349** 临床研究：心脏药物之外再服用碧容健®能显著增强心脏病患者的血管内皮功能。
Enseleit F, Sudano I, Périat D, Winnik S, Wolfrum M, Flammer AJ, Fröhlich GM, Kaiser P, Hirt A, Haile SR, Krasniqi N, Matter CM, Uhlenhut K, Högger P, Neidhart M, Lüscher TF, Ruschitzka F, Noll G
Effects of Pycnogenol® on endothelial function in patients with stable coronary artery disease: a double-blind, randomized, placebo-controlled, cross-over study.
Eur Heart J 33(13): 1589-97, 2012
- Ref. 237** 临床研究：糖尿病和高血压药物之外再服用碧容健®可进一步显著改善患者的血糖和心血管风险因子，允许大多数患者减少抗高血压药物的服用。
Zibadi S, Rohdewald P, Park D, Watson RR
Reduction of cardiovascular risk factors in subjects with Type 2 Diabetes by Pycnogenol® supplementation.
Nutr Res 28: 315-320, 2008
- Ref. 230** 临床研究：碧容健®摄入可使年轻健康男性的血管舒张增加42%，从而保证为肌肉活动提供充足的血液和氧供应。
Nishioka K, Hidaka T, Nakamura S, Umemura T, Jitsuiki D, Soga J, Goto C, Chayama K, Yoshizumi M, Higashi Y
Pycnogenol®, French Maritime Pine Bark Extract, augments endothelium-dependent vasodilation in humans.
Hypertens Res 30: 775-780, 2007
- Ref. 117** 临床研究：作为高血压药物和硝苯地平的辅助药物，碧容健®可改善血管内皮功能，允许减少药物剂量。
Liu X, Wei J, Tan F, Zhou S, Würthwein G, Rohdewald P
Pycnogenol® French maritime pine bark extract, improves endothelial function of hypertensive patients.
Life Sci 74: 855-862, 2004
- Ref. 109** 临床研究：在一项剂量探索研究中，碧容健®能够降低II型糖尿病患者的血糖水平，改善患者的内皮功能。
Liu X, Zhou H-J, Rohdewald P
French maritime pine bark extract Pycnogenol® dose-dependently lowers glucose in type II diabetic patients.
Diabetes Care 27: 839, 2004
- Ref. 069** 碧容健®会显著减少β-淀粉样蛋白引起的血管损伤。β-淀粉样变性是阿尔茨海默病（AD）的神经病理学标志之一，这表明碧容健®具有能够降低阿尔茨海默病风险的作用。
Liu F, Lau BHS, Peng Q, Shah V
Pycnogenol® protects vascular endothelial cells from β-amyloid-induced injury.
Biol Pharm Bull 23: 735-737, 2000
- Ref. 068** 碧容健®可抑制组织白细胞募集相关的数个机制，进而导致抗炎活性产生。
Peng Q, Wei Z, Lau BHS
Pycnogenol® inhibits tumor necrosis factor-α-induced nuclear factor kappa B activation and adhesion molecule expression in human vascular endothelial cells.
Cell Mol Life Sci 57: 834-841, 2000
- Ref. 027** 碧容健®阻碍血管收缩。碧容健®通过一氧化氮促进血管舒张活性。
Fitzpatrick DF, Bing B, Rohdewald P
Endothelium-dependent vascular effects of Pycnogenol®.
J Cardiovasc Pharmacol 32: 509-515, 1998

Ref. 026 碧容健®能够保护内皮细胞中的 α -生育酚。
Virgili F, Kim D, Packer L
Procyanidins extracted from pine bark protect α -tocopherol in ECV 304 endothelial cells challenged by activated RAW 264.7 macrophages: role of nitric oxide and peroxynitrite.
FEBS Lett 431: 315-318, 1998

Ref. 020 碧容健®可促进细胞内膜动脉中抗氧化酶的合成，使其量加倍。
Wei ZH, Peng QL, Lau BHS
Pycnogenol® enhances endothelial cell antioxidant defenses.
Redox Rep 3: 219-224, 1997

Ref. 014 碧容健®可保护内皮细胞壁免受自由基之害。内皮细胞损伤是动脉粥样硬化的主要原因之一。
Rong Y, Li L, Shah V, Lau BHS
Pycnogenol® protects vascular endothelial cells from t-butyl hydroperoxide induced oxidant injury.
Biotechnol Ther 5: 117- 126, 1995

20 血小板功能

Ref. 553 临床研究：碧容健®能显著改善与新冠疫情后有关的一些迹象和症状，改善心血管风险因素。
Belcaro G, Comelli U, Cesarone MR, Scipione C, Scipione V, Hu S, Feragalli B, Corsi M, Cox D, Cotellese R, Hosoi M, Burki C
Preventive effects of Pycnogenol® on cardiovascular risk factors (including endothelial function) and microcirculation in subjects recovering from coronavirus disease 2019 (COVID- 19).
Minerva Med. 113(2):300-8, 2022

Ref. 528 临床研究：碧容健®预防复发性视网膜静脉血栓的效果优于阿司匹林、噻氯匹定和舒洛地特，且无副作用。
Belcaro G, Dugall M, Bradford HD, Cesarone MR, Feragalli B, Gizzi C, Cotellese R, Hu S, Rodriguez P, Hosoi M.
Recurrent retinal vein thrombosis: prevention with Aspirin, Pycnogenol®, ticlopidine, or sulodexide.
Minerva Cardioangiol. 2019 Apr;67(2):109- 114, 2019

Ref. 507 临床研究：碧容健®通过降低血栓素（一种促进血小板聚集的物质）的血液水平，降低克罗恩病患者血栓栓塞发作的风险。
Kolacek, M., Paduchova, Z., Dvorakova, M., Zitnanova, I., Ciema, I., Durackova, Z., Muchova, J.
Effect of natural polyphenols on thromboxane levels in children with Crohn's disease.
Bratisl Lek Listy, 120(12): p. 924-928, 2019

Ref. 499 临床研究：基于碧容健®改善内皮功能的能力，碧容健®可减少依他普仑（抗抑郁药）引起的性功能障碍和男女的心率升高。
Smetanka A, Stara V, Farsky, I, Tonhajzerova I, Ondrejka I
Pycnogenol® supplementation as an adjunct treatment for antidepressant-induced sexual dysfunction.
Physiol Int 106(1): 59-69, 2019

Ref. 476 在预防血栓后综合征和新发静脉血栓症方面，碧容健®比阿司匹林、舒洛地特和噻氯匹定更加有效。
Belcaro G, Dugall M, Hu S, Feragalli B, Cotellese R, Ledda A, Corsi M, Ricci A, Ippolito E, Errichi BM, Comelli U, Cesarone MR, Hosoi M
Prevention of recurrent venous thrombosis and post-thrombotic syndrome.
Minerva Cardioangiol 66(3): 238-245, 2018

Ref. 469 临床研究：碧容健®可减轻水肿，对某些血栓事件可能也有控制作用。
Belcaro G, Comelli U, Dugall M, Hosoi M, Cotellese R, Feragalli B
Long-haul flights, edema, and thrombotic events: prevention with stockings and Pycnogenol® supplementation (LONFLIT Registry Study).
Minerva Cardioangiol 66: 152- 159, 2018

Ref. 434 综述：与碧容健®生物活性和碧容健®用于治疗浮肿、溃疡、血栓形成、CVI 和痔疮的临床作用有关的研究总结。
Rohdewald P
Gerbstoffhaltiger Extrakt zur oralen und topischen Behandlung bei CVI und Hämorrhoidalleiden.
Phlebologie 44: 334-338, 2015

Ref. 417 临床研究：碧容健®被证明有助于预防视网膜静脉血栓形成。
Rodriguez P, Belcaro G, Dugall M, Hu S, Luzzi R, Ledda A, Ippolito E, Corsi M, Ricci A, Feragalli B, Comelli U, Gizzi C, Hosoi M
Recurrence of retinal vein thrombosis with Pycnogenol® or Aspirin® supplementation: a registry study.
Panminerva Med 57: 121- 125, 2015

-
- Ref. 370** 关于静脉功能不全和血栓形成管理中碧容健®相关作用的临床前及临床研究的最新简明综合评论。
Gulati OP
Pycnogenol® in Chronic Venous Insufficiency and Related Venous Disorders.
Phytother Res. 2014 Mar;28(3):348-62, 2014
-
- Ref. 337** 临床研究：12个月调查期内，碧容健®能预防遭受深静脉血栓患者发生水肿及血栓复发。
Errichi BM, Belcaro G, Hosoi M, Cesarone MR, Dugall M, Feragalli B, Bavera P, Hosoi M, Zulli C, Corsi M, Ledda A, Luzzi R, Ricci A
Prevention of post thrombotic syndrome with Pycnogenol® in a twelve-month study.
Panminerva Med 53: 21-27, 2011
-
- Ref. 233** 相比阿司匹林，碧容健®能更有效地减少I型糖尿病药理学模型的血小板聚集，这说明它具有预防糖尿病患者形成血栓的作用。
Nocun M, Ulicna O, Muchova J, Durackova Z, Watala C
French maritime pine bark extract (Pycnogenol®) reduces thromboxane generation in blood from diabetic male rats.
Biomed Pharmacother 62: 168- 172, 2007
-
- Ref. 134** 临床研究：在一项涉及200位参与者的双盲、安慰剂对照试验中，碧容健®可用于预防长途航班乘客的血栓形成。
Belcaro G, Cesarone MR, Rohdewald P, Ricci A, Ippolito E, Dugall M, Griffin M, Ruffini I, Acerbi G, Vinciguerra MG, Bavera P, Di Renzo A, Errichi BM, Cerritelli F
Prevention of Venous Thrombosis and Thrombophlebitis in Long-Haul Flights with Pycnogenol®.
Clin Appl Thromb Hemost 10: 373-377, 2004
-
- Ref. 080** 临床研究：碧容健®可降低未服用药物的高血压患者的血压。
Hosseini S, Lee J, Sepulveda RT, Rohdewald P, Watson RR
A randomized, double-blind, placebo-controlled, prospective, 16 week crossover study to determine the role of Pycnogenol® in modifying blood pressure in mildly hypertensive patients.
Nutr Res 21: 1251- 1260, 2001
-
- Ref. 053** 临床研究：碧容健®可抑制吸烟诱导的血栓烷B水平的升高，从而解释了吸烟者服用碧容健®后血小板聚集减少的原因。
Araghi-Niknam M, Hosseini S, Larson D, Rohdewald P, Watson RR
Pine bark extract reduces platelet aggregation.
Int Med 2: 73-77, 1999
-
- Ref. 043** 临床研究：碧容健®可抑制心脏病患者的血小板聚集和粘附，改善血液微循环。
Wang S, Tan D, Zhao Y, Gao G, Gao X, Hu L
The effect of Pycnogenol® on the microcirculation, platelet function and ischemic myocardium in patients with coronary artery diseases.
Eur Bull Drug Res 7: 19-25, 1999
-
- Ref. 042** 碧容健®有助于通过血管舒张、抗血小板聚集、自由基清除和毛细血管封闭作用维持健康的血液循环。文中还讨论了内皮一氧化氮(NO)的作用。
Rohdewald P
Reducing the risk for stroke and heart infarction with Pycnogenol®.
Eur Bull Drug Res 7: 14- 18, 1999
-
- Ref. 039** 综述：评论碧容健®心血管药理学特性的重点在于血小板聚集的预防。
Watson R
Reduction of cardiovascular disease risk factors by French Maritime Pine Bark Extract.
Cardiovasc Rev Rep XX: 326-329, 1999
-
- Ref. 036** 临床研究：碧容健®以剂量依赖性方式抑制人体的血小板聚集。该作用会持续6天以上，与阿司匹林不同的是，它不会增加出血时间。
Pütter M, Grotemeyer KHM, Würthwein G, Araghi-Niknam M, Watson RR, Hosseini S, Rohdewald P
Inhibition of smoking-induced platelet aggregation by aspirin and Pycnogenol®.
Thromb Res 95: 155- 161, 1999

21 增强细胞外基质

- Ref. 551** 碧容健®可以下调酪氨酸酶，减少与色素有关的介质，减少黑色素的产生，从而在体外抑制皮肤色素沉着。
Ayres EL, Silva JDS, Eberlin S, Facchini G, Vasconcellos C, Costa A.
In-vitro effect of pine bark extract on melanin synthesis, tyrosinase activity, production of endothelin- 1 and PPAR in cultured melanocytes exposed to Ultraviolet, Infrared, and Visible light radiation.
J Cosmet Dermatol. 2021
- Ref. 464** 临床研究：已对碧容健®通过软骨细胞、滑液和血清而反映出来的临床疗效进行了系统研究。总体结果提示海岸松树皮提取物具有软骨保护潜能。这些结果为理解现有文献报告的碧容健®对骨关节炎患者通过症状评分而体现出来的临床疗效提供了合理基础。
Jessberger S, Högger P, Genest F, Salter DM, Seefried L
Cellular pharmacodynamic effects of Pycnogenol® in patients with severe osteoarthritis: a randomized controlled pilot study.
BMC Complementary and Alternative Medicine 17: 537 DOI 10. 1186/s12906-017-2044- 1, 2017
- Ref. 430** 临床研究：本文评论了早期的碧容健®临床研究，确认了碧容健®增强皮肤弹性和增加水分的作用，强调了口服碧容健®使皮肤更加白皙的新成果，以及改善皮肤屏障功能的作用。
Grether-Beck S, Marini A, Jaenicke T, Krutmann J
French Maritime Pine Bark Extract (Pycnogenol®) Effects on Human Skin: Clinical and Molecular Evidence.
Skin Pharmacol Physiol 29: 13- 17, 2016
- Ref. 348** 临床研究：碧容健®可增加女性皮肤弹性和水合性，这与皮肤中合成新胶原蛋白和透明质酸的效果显著一致。
Marini A, Grether-Beck S, Jaenicke T, Weber M, Burki C, Formann P, Brenden H, Schönlau F, Krutmann J
Pycnogenol® Effects on Skin Elasticity and Hydration Coincide with Increased Gene Expressions of Collagen Type I and Hyaluronic Acid Synthase in Women.
Skin Pharmacol Physiol 25: 86-92, 2012
- Ref. 243** 碧容健®抑制皮肤细胞中色素形成的功效是曲酸（皮肤美白产品中常用化合物之一）的四倍之多。
Kim YJ, Kang KS, Yokozawa T
The anti-melanogenic effect of Pycnogenol® by its anti-oxidative actions.
Food and Chemical Toxicol 46: 2466-2471, 2008
- Ref. 185** 临床研究：碧容健®可抑制发炎人皮肤中分解胶原蛋白与弹性蛋白相关的酶的释放。
Grimm T, Chovanova Z, Muchova J, Sumegova K, Liptakova A, Durackova Z, Högger P
Inhibition of NF-kappaB activation and MMP-9 secretion by plasma of human volunteers after ingestion of maritime pine bark extract (Pycnogenol®).
J Inflamm 3: 1-6, 2006
- Ref. 107** 临床研究：人口服碧容健®后，体内普遍存在的成分及其代谢物会抑制胶原蛋白和弹性蛋白破坏酶。
Grimm T, Schäfer A, Högger P
Antioxidant activity and inhibition of matrix metalloproteinases by metabolites of maritime pine bark extract (Pycnogenol®).
J Free Radic Biol Med 36: 811-822, 2004

III. 分析、生物可用性和代谢

- Ref. 540** 综述：全面总结了关于碧容健®的最重要的研究，回顾了碧容健®的特性和益处。
Oliff H
Scientific and clinical Monograph for Pycnogenol®.
American Botanical Council - ABC. 2019:1-46, 2019
- Ref. 473** 碧容健®可有效减轻体重和体脂沉积。
Cong H, Zhong W, Wang Y, Ikuyama S, Fan F, Gu J
Pycnogenol® induces browning of white adipose tissue through the PKA signaling pathway in apolipoprotein e-deficient mice.
Journal of Diabetes Research Volume 2018, Article ID 9713259
<https://doi.org/10.1155/2018/9713259>, 2018
- Ref. 465** 碧容健®可保护肝脏。它与肝脂生成、脂肪酸摄入和脂质储存有关的基因具有明显的抑制作用。碧容健®可能为非酒精性脂肪肝提供了一种新的预防方法。
Wang D, Cong H, Cao Y, Ikuyama S, Fan B, Gu J
Pycnogenol® protects against diet-induced hepatic steatosis in Apolipoprotein-E deficient mice.
Am J Physiol Endocrinol Metabol, doi: 10/1152/ajpendo.000009.2017, 2018
- Ref. 440** 临床研究：补充碧容健®被证明造成了骨关节炎患者膝盖滑液中成分和代谢物的积累，是症状改善的依据。
Mülele M, Seefried L, Genest F, Högger P
Distribution of constituents and metabolites of maritime pine bark extract (Pycnogenol®) into serum, blood cells and synovial fluid of patients with severe osteoarthritis: a randomized controlled trial.
Nutrients 9, 443; doi: 10.3390/nu9050443, 2017
- Ref. 416** 解析碧容健®代谢物在人体中的代谢命运。
Mülele M, Fekete A, Wiest J, Holzgrabe U, Mueller MJ, Högger P
Profiling a gut microbiota-generated catechin metabolite's fate in human blood cells using a metabolomic approach.
J Pharm Biomed Anal 114: 71-81, 2015
- Ref. 403** 摄入碧容健®后，用于检测和定量人血细胞中植物源化合物的不同样品制备方法的比较报告。
Mülele M, Högger P
Highly sensitive analysis of polyphenols and their metabolites in human blood cells using dispersive SPE extraction and LC-MS/MS.
Anal Bioanal Chem DOI 10. 1007/s00216-014-8451-y, 2015
- Ref. 379** 碧容健®是一种非常有前景的预防脂肪肝或动脉粥样硬化的天然化合物。
Ikuyama S, Fan B, Gu J-Q, Mukae K, Watanabe H
Molecular mechanism of intracellular lipid accumulation: Suppressive effect of Pycnogenol® in liver cells.
FFHD 3(9): 252-264, 2013
- Ref. 372** 人服用碧容健®后的代谢物会被红细胞、白细胞、内皮细胞和神经细胞经GLUT1转运体内化。这种组织-特异性积累代表了碧容健®主要活动模式的常见共同特性，它与炎症控制、内皮功能和认知效益相关。
Kurlbaum M, Mülele M, Högger P
Facilitated Uptake of a Bioactive Metabolite of Maritime Pine Bark Extract (Pycnogenol®) into Human Erythrocytes.
PLOS ONE 8(4): 1- 10, 2013
- Ref. 371** 碧容健®作为天然混合物，与提取物成分相比，能更好地调控内皮功能障碍。
Jankyova S, Hlavackova L, Kralova E, Slazneva J, Drobna V, Zuzik P, Drafi F, Mucaji P, Racanska E
The Evaluation of Efficacy of Pycnogenol® Fractions on Endothelial Dysfunction.
Acta Fac Pharm Univ Comen LX(1): 7- 14, 2013
- Ref. 353** 人摄入碧容健®后形成的代谢物可积累于免疫细胞（白细胞）内，调制炎症过程。
Uhlenhut K, Högger P
Facilitated cellular uptake and suppression of inducible nitric oxide synthase by a metabolite of maritime pine bark extract (Pycnogenol®).
Free Radic Biol Med, 53: 305-313, 2012
- Ref. 301** 碧容健®各成分可与白蛋白结合在一起，在血液中运输，而其代谢物与血蛋白间没有任何联系。
Kurlbaum M, Högger P
Plasma protein binding of polyphenols from maritime pine bark extract (USP).
J Pharm Biomed Anal 54: 127- 132, 2011

-
- Ref. 239** 碧容健®可抵消酒精的神经毒性，即可缓解醉酒后的不适症状。
Siler-Marsiglio KI, Paiva M, Madorsky I, Serrano Y, Neeley A, Heaton MB
Protective mechanisms of Pycnogenol® in ethanol-insulted cerebellar granule cells.
J Neurobiol 61: 267-276, 2004
-
- Ref. 197** 临床研究：本研究介绍了人口服碧容健®后各成分及代谢物的表现。
Grimm T, Skrabala R, Chovanova Z, Muchova J, Sumegova K, Liptakova A, Durackova Z, Högger P
Single and multiple dose pharmacokinetics of maritime pine bark extract (Pycnogenol®) after oral administration to healthy volunteers.
BMC Clin Pharmacol 6: 4, 2006
-
- Ref. 171** 美国药典（USP）专著。
南欧海松提取物 – USP34. 1196- 1197;
The United States Pharmacopeia, United States Pharmacopeial Convention, Inc. official from May 1, 2011
-
- Ref. 170** 美国药典（USP）专著。
南欧海松 – USP30.964-965;
The United States Pharmacopeia, United States Pharmacopeial Convention, Inc. official from May 1, 2007
-
- Ref. 137** 碧容健®可通过人体皮肤吸收的证据。
Sarikaki V, Rallis M, Tanojo H, Panteri I, Dotsikas Y, Loukas YL, Papaioannou G, Demetzos C, Weber S, Moini H, Maibach HI, Packer L
In vitro Percutaneous Absorption of Pine Bark Extract (Pycnogenol®) in Human Skin.
J Toxicol Cutaneous Ocul Toxicol 23: 149- 158, 2004
-
- Ref. 060** 临床研究：通过研究阿魏酸(碧容健®的成分之一)的排泄模式，证实了碧容健®在健康人受试者体内的生物动力学特性（吸收、代谢及排泄）。
Virgili F, Pagana G, Bourne L, Rimbach G, Natella F, Rice-Evance C, Packer L
Ferulic acid excretion as a marker of consumption of a French maritime pine (Pinus maritima) bark extract.
J Free Radic Biol Med 28: 1249- 1256, 2000
-
- Ref. 058** 临床研究：碧容健®各成分及其代谢物在人体内发挥有益作用的生物利用度在24小时以上。
Grosse-Düweler K, Rohdewald P
Urinary metabolites of French maritime pine bark extract in humans.
Pharmazie 55: 364-368, 2000
-
- Ref. 040** 研究基于碧容健®的体外疗效证实了其生物利用性：预防血小板聚集和毛细血管封闭作用。以硫酸盐形式存在于尿液中的戊内酯或尿液中的葡糖苷酸代表了碧容健®的活性成分。
Rohdewald P
Bioavailability and metabolism of Pycnogenol®.
Eur Bull Drug Res 7: 5-7, 1999

IV. 评论文献

- Ref. 580** 综述：碧容健®对收缩压和舒张压有明显的有益作用。
Pourmasoumi M, Hadi A, Mohammadi H, Rouhani MH
Effect of Pycnogenol® supplementation on blood pressure: A systematic review and meta-analysis of clinical trials.
Phytotherapy Research. 2019;1- 10, 2019
- Ref. 573** 这篇评论探讨了碧容健®在机制和生理方面的各种有益特性。
Nattagh-Eshtivani E, Gheflati A, Barghchi H, Rahbarinejad P, Hachem K, Shalaby MN, Abdelbasset WK, Ranjbar G, Olegovich Bokov D, Rahimi P, Gholizadeh Navashenaq J, Pahlavani N.
The role of Pycnogenol® in the control of inflammation and oxidative stress in chronic diseases: Molecular aspects.
Phytother Res. 2022 May 18. doi: 10. 1002/ptr.7454., 2022
- Ref. 557** 碧容健®对认知功能的有益影响述评。
Schönlau F
Chapter 23 - The multifactorial contributions of Pycnogenol® for cognitive function improvement.
Nutraceuticals in Brain Health and Beyond, D. Ghosh Ed., pp. 335-341: Academic Press: 2021, 2021
- Ref. 543** 关于碧容健®对新型冠状病毒感染后的健康损害可能产生的有益影响回顾
Weichmann F and Rohdewald P.
Projected supportive effects of Pycnogenol® in patients suffering from multi-dimensional health impairments after a SARS-CoV2 infection.
Int J Antimicrob Agents 56(6): 106191, 2020
- Ref. 540** 综述：全面总结了关于碧容健®的最重要的研究，回顾了碧容健®的特性和益处。
Oliff H
Scientific and clinical Monograph for Pycnogenol.
American Botanical Council - ABC. 2019:1-46, 2019
- Ref. 503** 这篇综述总结了碧容健®通过血管、抗炎、神经保护和抗氧化过程改善神经认知功能的生物调节作用。
Simpson T, Kure C, Stough C
Assessing the efficacy and mechanisms of Pycnogenol® on cognitive aging from in vitro animal and human studies.
Frontiers in Pharmacology, 2019
- Ref. 490** 关于碧容健®对衰老的相关症状的各种有益影响的综述。
Rohdewald P
Pleiotropic Effects of French Maritime Pine Bark Extract to Promote Health Aging Rejuvenation Res. 2019 Jun;22(3):210-217, 2019.
- Ref. 472** 综述：碧容健®可提高抗氧化水平，减轻氧化损伤，改善神经化学状态，因此认为其对儿童多动症有治疗效果。
Verlaeat AAJ, Maasackers CM, Hermans N, Savelkoul HFJ
Rationale for Dietary Antioxidant Treatment of ADHD.
Nutrients 10, 405; doi: 10.3390/nu10040405, 2018
- Ref. 463** 综述：碧容健®可缓解静脉性水肿。通过外用和口服途径联合给药，碧容健®可加快静脉性溃疡、糖尿病性溃疡和痔疮的愈合。
Rohdewald P
Pycnogenol® bei Erkrankungen des venösen Systems – eine systematische Übersicht.
Schweiz Z Ganzheitsmed 29: 372-375, 2017
- Ref. 462** 综述：碧容健®可通过非激素途径改善妇女的健康状况。
Rohdewald PJ
Pycnogenol®, a Plant Extract for women's health.
Int J women's health Care (IJWHC) 2(1): 1-5, 2017
- Ref. 461** 综述：碧容健®具有抗炎和软骨保护作用，其中含有可快速吸收的酚类化合物和缓慢代谢的原花青素，两种特性相结合，其可像缓释配方药物那样发挥作用。
Rohdewald PJ
Review on sustained relief of osteoarthritis symptoms with a proprietary extract from pine bark extract, Pycnogenol®.
J Med Food 21(1): 1-4, 2018
- Ref. 449** 一项关于碧容健®通过改善内皮功能和抗氧化状态来缓解更年期症状的疗效的综述。
Rohdewald P
Relief from Menopausal Symptoms by Non-hormonal Treatment with Pycnogenol® (French Maritime Pine Bark Extract).
J Genit Syst & Disor 5:4, 2016

-
- Ref. 448** 一项提出将碧容健®作为常规治疗肝炎相关性糖尿病的辅助治疗的综述。
Ezzikouri S, Jadid FZ, Hamdi S, Wakrim L, Tsukiyama-Kohara K, Benjelloun S
Supplementing Conventional Treatment with Pycnogenol® May Improve Hepatitis C Virus-Associated Type 2 Diabetes: A Mini Review.
J Clin Translational Hepatol 4: 228-233, 2016
-
- Ref. 444** 碧容健®用于治疗过敏性鼻炎 (hayfever) 的优点的综述。
Ross SM
Allergic Rhinitis. A proprietary extract of Pinus pinaster Aiton (Pycnogenol®) is found to improve the symptoms associated with allergic rhinitis.
Holist Nurs Pract 30: 301-304, 2016
-
- Ref. 430** 本文评论了早期的碧容健®临床研究, 确认了碧容健®增强皮肤弹性和增加水分的作用, 强调了口服碧容健®使皮肤更加白皙的新成果, 以及改善皮肤屏障功能的作用。
Grether-Beck S, Marini A, Jaenicke T, Krutmann J
French Maritime Pine Bark Extract (Pycnogenol®) Effects on Human Skin: Clinical and Molecular Evidence.
Skin Pharmacol Physiol 29: 13- 17, 2016
-
- Ref. 422** 综述: 在2010-2015期间发表的碧容健®临床研究的总结。
Rohdewald P
Update on the clinical pharmacology of Pycnogenol®.
Medical Research Archives July 2015 Issue 3: 1- 11, 2015
-
- Ref. 415** 本综述论文包含目前关于碧容健®用于改善代谢综合征患者和糖尿病患者健康方面的知识。
Gulati O
Pycnogenol® in Metabolic Syndrome and Related Disorders.
Phytother Res 29: 949-968, 2015
-
- Ref. 346** 关于碧容健®广泛适用于个人保健、预防及治疗的综述。
Strong J
French maritime pine bark extract (Pycnogenol®) and the use of health supplements in the age of personalized medicine.
Panminerva Med 53: 1-2, 2011
-
- Ref. 326** 关于碧容健®成分和药理学及已发表医学研究的综合评论。
Maimoona A, Naeem I, Saddiqe Z, Jameel K
A review on biological, nutraceutical and clinical aspects of French maritime pine bark extract.
J Ethnopharmacol 133: 261-277, 2011
-
- Ref. 269** 综述: 基于已发表的碧容健®科学及临床研究论文的临床综述。
Oliff H
Scientific and clinical monograph on Pycnogenol®.
The American Botanical Council 2009
-
- Ref. 266** 关于碧容健®用于治疗静脉功能不全研究的综合评论。
Gulati OP
Pycnogenol®: a nutraceutical for venous health.
Biomedical Reviews 19: 33-43, 2008
-
- Ref. 261** 这篇综述性文章涵盖了碧容健®对于糖尿病患者的广泛贡献, 例如降低血糖, 并有助于大多数糖尿病并发症的治疗。
Rohdewald P
Regulation of diabetes by Pycnogenol®.
Botanical medicine in clinical practice. (ed.) Watson, R.R., Preedy, V.R.; Wallingford, England, CABI Publishing, Ch. 62: 587-594, 2008
-
- Ref. 259** 关于碧容健®抗炎活性及其控制不同炎症性疾病作用的综合评论。
Farid R
Pycnogenol® in the treatment of inflammatory diseases: osteoarthritis, asthma and heart disease.
Botanical medicine in clinical practice. (ed.) Watson RR, Preedy VR; Wallingford, England, CABI Publishing, chapter 68: 633-640, 2008
-
- Ref. 258** 关于碧容健®用于治疗水肿 (包括用于长途旅行期间腿部肿胀治疗的结果) 相关众多研究的评论。
Belcaro G, Cesarone MR, Cornelli U, Rohdewald P, Ledda A, Di Renzo A, Stuard, S, Cacchio M, Vinciguerra G, Gizzi G, Pellegrini L, Dugall M, Ricci A, Ruffini I, Fano F
Treatment of chronic venous insufficiency and prevention of economy class syndrome.
Botanical medicine in clinical practice. (ed.) Watson, R.R., Preedy, V.R.; Wallingford, England, CABI Publishing, Ch. 64: 603-609, 2008

- Ref. 257** 关于碧容健®多方面有益于心血管健康的评论。
Watson RR, Argüelles MC
Pycnogenol® and cardiovascular health.
Botanical medicine in clinical practice. (ed.) Watson, R.R., Preedy, V.R.; Wallingford, England, CABI Publishing, Ch. 56: 538-544, 2008
- Ref. 228** 综述：心肌炎病理介绍及碧容健®有助于心脏恢复机制的讨论。
Matsumori A
Treatment Options in Myocarditis.
Herz 32: 452-456, 2007
- Ref. 210** 碧容健®的临床药理学评论。
Rohdewald P
Clinical Pharmacology of Pycnogenol®.
Pharma Bio World 5: 79-81, 2006
- Ref. 180** 综述：碧容健®可有效改善血液微循环、痛经、肩部僵硬及妊娠相关疼痛。
Kohama T
Nutritional supplements in clinical practice.
Progr Med 24: 1503- 1510, 2004
- Ref. 169** 综述：关于碧容健®安全性及疗效作用方面的专著论文。
Blumenthal M
Pycnogenol® (French Maritime Pine Bark Extract) Pinus Pinaster Aiton subsp. atlantica.
The American Botanical Council guide to Herbs, 369-373, 2003
- Ref. 168** 综述：碧容健®可用作心血管健康及糖尿病的营养保健品。
Gulati OP
The Nutraceutical Pycnogenol®: Its role in cardiovascular health and blood glucose control.
Biomed Rev 16: 49-57, 2005
- Ref. 160** 综述：涉及碧容健®药理活性及临床功效的专著论文。
Rohdewald P
Pycnogenol®, French Maritime Pine Bark Extract.
Encyclopedia of Dietary Supplements; Ed. Marcel Dekker, digital publisher, 545-553, 2005
- Ref. 114** 关于碧容健®心血管健康益处的评论。
Watson RR
Pycnogenol® and cardiovascular health.
Evid Based Integr Med 1: 27-32, 2003
- Ref. 094** 碧容健®对皮肤护理有益作用的总结。
Schönlau F
The cosmeceutical Pycnogenol®.
J Appl Cosmetol 20: 241-246, 2002
- Ref. 092** 关于五项描述碧容健®对于糖尿病视网膜病变作用的临床研究总结。
Schönlau F, Rohdewald P
Pycnogenol® for diabetic retinopathy: A review.
Int Ophthalmol 24: 161- 171, 2002
- Ref. 085** 关于碧容健®药理学活性的评论文章。
Rohdewald P
A review of the French maritime pine bark extract (Pycnogenol®), a herbal medication with a diverse clinical pharmacology.
Int J Clin Pharmacol Ther 40: 158- 168, 2002
- Ref. 041** 一份关于碧容健®治疗静脉功能失调的疗效及安全性的评论。
Gulati OP
Pycnogenol® in venous disorders: A review.
Eur Bull Drug Res 7: 8- 13, 1999
- Ref. 039** 综述：评论碧容健®心血管药理学特性的重点在于血小板聚集的预防。
Watson R
Reduction of cardiovascular disease risk factors by French Maritime Pine Bark Extract.
Cardiovasc Rev Rep XX: 326-329, 1999

-
- Ref. 038** 本文评论了碧容健®的抗氧化活性及其对免疫系统和诱导型一氧化氮合酶调制的作用。
Virgili F, Kobuchi H, Noda Y, Cossins E, Packer L
Procyanidins from *Pinus maritima* bark: Antioxidant activity, effects on the immune system and Modulation of Nitrogen Monoxide Metabolism.
In "Antioxidant Food Supplements in human health", ed. L. Packer, M. Hiramatsu and T. Yoshikawa, published by Academic Press, Chapter 21, pages 323-342, 1999
-
- Ref. 034** 关于碧容健®的化学、氧化活性及生物特性介绍。
Packer L, Rimbach G, Virgili F
Antioxidant activity and biologic properties of a procyanidin-rich extract from pine (*Pinus maritima*) bark, Pycnogenol®.
J Free Radic Biol Med 27: 704-724, 1999
-
- Ref. 031** 综述：从古代使用松树皮的历史到现今碧容健®的开发。
Drehsen G
From ancient pine bark uses to Pycnogenol®
In "Antioxidant Food Supplements in human health", ed. L. Packer, M. Hiramatsu and T. Yoshikawa, published by Academic Press, Chapter 20, pages 311-322, 1999

